

Topsfield Town Library.

No. *20* *6* R-3

REGULATIONS.

ARTICLE 1. The Library will be open for the delivery and return of books every Saturday, from 3 to 4 o'clock in the afternoon, and from 7 to 9 o'clock in the evening.

ART. 2. All residents of Topsfield, above the age of 12 years, shall have the right to take books from the Library.

ART. 3. No person shall be allowed more than one volume, and no family more than three volumes at any one time; and no book shall be kept out of the Library more than fourteen days, while the time *may* be limited to *seven* days when the book is in great demand.

ART. 4. Any person retaining a book longer than the specified time, shall incur a fine of *five* cents for every week it is so retained.

ART. 5. All injuries to books, and all losses, shall be made good by the person responsible for the book.

ART. 6. All books shall be returned to the Library for examination *ten* days before the annual Town Meeting, under penalty of a fine of fifty cents.

ART. 7. No person owing a fine or forfeiture shall receive books from the Library until the same is paid.



3 9090 013 418 542



JOHN A. SEAVERNS

Webster Family Library of Veterinary Medicine
Cummings School of Veterinary Medicine at
Tufts University
200 Westboro Road
North Grafton, MA 01536

~~800~~.

THE
HORSE'S FOOT,
AND
HOW TO KEEP IT SOUND

With Illustrations.

BY WILLIAM MILES, ESQ.

FROM THE THIRD LONDON EDITION.

3912

NEW YORK:
O. M. SAXTON & COMPANY,
AGRICULTURAL BOOK PUBLISHERS, 140 FULTON ST.
1856.

636

P R E F A C E

I HAVE been induced, at the solicitation of several friends, who have deplored to me their total want of any thing like useful or practical knowledge upon the subject of shoeing, to embody for their guidance some rough notes which I had made upon soundness of the horse's foot in general, and on shoeing in particular. In offering them to the public, I beg to premise that I have not the smallest intention of what is called writing a book,—least of all, a scientific book. My sole object is to communicate, in the most familiar language the subject will admit of, the result of several years' observation, and of much tedious experiment, undertaken with a view of ascertaining what mode of shoeing, system of stabling, and quantity of exercise, promised the fairest prospect of preserving the foot of the horse in soundness and comfort to himself, and usefulness to his owner for the longest period.

I disclaim all pretension to any new discovery in the art of shoeing ;—amateurs' discoveries are, for the most part, of small value. I have preferred unscrupulously availing myself of the labors of professional and practical men,—by carefully examining their systems—trying their plans—and ultimately adopting that which appeared the best calculated to ensure success. If, in what follows, I am

accused of entering too minutely into matters of detail, my answer must be, that I write exclusively for the information of the uninformed, including those who are unwilling, as well as those who are incompetent to wade through the various elaborate and conflicting treatises already published upon the horse's foot, and who are of necessity compelled to yield implicitly in all such matters to the *experience* of others,—whose *experience* will generally be found to resolve itself into *untiring perseverance in one unvaried plan for a series of years*.

My aim has been, by keeping out of view every thing not essential, and presenting only those things that are practical, to render a hitherto difficult and little understood subject familiar and easy. If I have in any degree succeeded, I shall feel myself amply repaid for whatever pains it may have cost me.

CONTENTS.

	PAGE
Description of the foot.....	7
The horny crust.....	7
The sole.....	8
The frog.....	9
The bones of the foot.....	10
The lateral cartilages.....	11
The sensitive sole.....	11
The sensitive frog.....	12
The elastic cushion or fatty frog.....	12
The coffin joint.....	12
The navicular joint.....	12
The natural form of the foot.....	13
Removing the old shoe.....	13
Preparation of the foot for receiving a new shoe.....	13
Rasping the crust.....	14
Paring the foot.....	14
Reasons for varying the paring out of feet at different seasons.....	14
Different feet require different treatment.....	15
General directions for preparing the foot.....	15
"Opening out the heels" condemned.....	15
Reasons for <i>never allowing a knife to approach the frog</i>	16
Weight of the shoe.....	18
Width of the web.....	18
Objections to shoes "well set off at the heels".....	18
The effect of such shoes upon the navicular joint.....	19
The foot does not receive its form from the shoe.....	20
The situation of the nails determines the form of the foot.....	20
The form of the shoe.....	21
Objections to thick-heeled shoes.....	21
The toe turned up out of the line of wear.....	21
Steel at the toe objectionable.....	21
A clip at the toe desirable.....	21
The shoe should not be too short.....	22
A flat surface for the crust to bear upon.....	22
The nail-holes in the flat surface, and not partly in it and partly in the seating.....	22
The seating.....	22
The ground surface.....	22
No <i>objection</i> to the application of a hot shoe to the foot to ascertain its bearings.....	22
Reasons for removing the shoes every two or three weeks.....	23
Number and situation of the nails.....	23
More nails than are necessary <i>not merely useless</i>	24

	PAGES
Five nails employed,—but six recommended	25
Reasons for recommending six nails.....	25
How expansion of the foot is permitted by one-sided nailing.....	26
Corns cured by one-sided nailing with five nails	27
Evidence of a commercial traveller in favor of one-sided nailing with five nails only.....	27
Remarks upon shoeing with leather	28
The hind shoe considered.....	29
Objections to the general use of "Calkins"	29
Clips	30
The cause and prevention of "forging"	30
"Overreach" how produced and how prevented.....	31
A plan for detecting the exact part of the shoe with which a horse "cuts"	31
Reasons against shoeing horses in the stable, away from the forge	32
General observations upon shoeing hunters, and plating race-horses.....	33
The situation of the nails a common cause of horses losing their races.....	34
The effect of the loss of one inch upon each stride in running over the Derby course	34
The advantages of a loose box.....	35
The disadvantages of stalls shown in the number of horses cast by cavalry regiments.....	36
The objections commonly urged against loose boxes	38
The best mode of converting stalls into loose boxes	38
The <i>real</i> —but <i>unurged</i> —objection to loose boxes	38
Horses having always been kept in stalls, no argument against its being hurtful to them	39
New form of muzzle recommended, instead of the two objectionable forms in common use	40
Meaning of the word "sound," as applied to horses' feet.....	40
A foot afflicted with inflammation and pain—not sound.....	41
"Pointing"—not merely a trick—but a symptom of unsoundness	41
Perfectly sound feet among horses in work very rare, and not absolutely essential—nevertheless very desirable	42
The importance of regular daily exercise to the soundness of horses' feet ..	42
Treatment of the foot in the stable	44
A useful hoof ointment	44
The best mode of applying moisture.....	44
Morning the fittest time for the application of cold water to the feet.....	45
Stopping the feet at night recommended.....	45
Cow-dung a good stopping	45
No fear of <i>producing</i> thrushes by moist stopping	45
Bad shoeing the real cause of thrushes	45
Two cases of thrushes cured by standing on wet sawdust without shoes ...	45
Standing on wet sawdust in a loose box preferred to turning out.....	45
Value of a general warranty considered	46

THE HORSE'S FOOT, &c.

IN describing the various parts which compose the horse's foot, it shall be my endeavor to avoid, as much as possible, all minute anatomical details and scientific technical terms, and to confine myself to a plain description of those parts only, a general knowledge of which is essential to the full understanding of what is right, and what wrong, in the formation and application of the horse's shoe.

The hoof is divided into horny crust or wall, sole, and frog.

The horny crust is secreted by the numerous blood-vessels of that soft protruding band which encircles the upper edge of the hoof, immediately beneath the termination of the hair; and is divided into toe, quarters, heels, and bars.* Its texture is insensible, but elastic throughout its whole extent; and, yielding to the weight of the horse, allows the horny sole to descend, whereby much inconvenient concussion to the internal parts of the foot is avoided. But if a large portion of the circumference of the foot be fettered by iron and nails, it is obvious that that portion, at least, cannot expand as before; and the beautiful and efficient apparatus for effecting this necessary elasticity, being no longer allowed to act by reason of these restraints, becomes altered in structure: and the continued operation of the same causes, in the end, circumscribes the elasticity to those parts alone where no nails have been driven,—giving rise to a train of consequences destructive to the soundness of the foot, and fatal to the usefulness of the horse.

The toe of the fore foot is the thickest and strongest portion of the hoof, and is in consequence less expansive than any other part, and therefore better calculated to resist the

* Page 47, figs. 1 and 2.

effect of the nails and shoe. The thickness of the horn gradually diminishes towards the quarters and heels, particularly on the inner side of the foot, whereby the power of yielding and expanding to the weight of the horse is proportionably increased, clearly indicating that those parts cannot be nailed to an unyielding bar of iron, without a most mischievous interference with the natural functions of the foot. In the hind foot, the greatest thickness of horn will be found at the quarters and heels, and not, as in the fore foot, at the toe. This difference in the thickness of horn is beautifully adapted to the inequality of the weight which each has to sustain, the force with which it is applied, and the portions of the hoof upon which it falls. The toe of the fore foot encounters the combined force and weight of the fore hand and body, and consequently in a state of nature is exposed to considerable wear and tear, and calls for greater strength and substance of horn than is needed by any portion of the hind foot, where the duty of supporting the hinder parts alone is distributed over the quarters and heels of both sides of the foot.

The bars are continuations of the wall, reflected at the heels towards the centre of the foot, where they meet in a point, leaving a triangular space between them for the frog.

The whole inner surface of the horny crust, from the centre of the toe to the point where the bars meet, is everywhere lined with innumerable narrow, thin, and projecting horny plates,* which extend in a slanting direction from the upper edge of the wall to the line of junction between it and the sole, and possess great elasticity. These projecting plates are the means of greatly extending the surface of attachment of the hoof to the coffin bone, which is likewise covered by a similar arrangement of projecting plates, but of a highly vascular and sensitive character; and these, dovetailing with the horny projections above named, constitute a union combining strength and elasticity in a wonderful degree.

The horny sole covers the whole inferior surface of the foot, excepting the frog. In a well-formed foot it presents an arched appearance and possesses considerable elasticity, by virtue of which it ascends and descends, as the weight above is either suddenly removed from it, or forcibly applied to it. This descending property of the sole calls for our especial consideration in directing the form of the shoe; for, if the shoe be so formed that the horny sole rests upon it, it

* Page 48, fig. 2.

cannot descend lower ; and the sensible sole above, becoming squeezed between the edges of the coffin bone and the horn, produces inflammation, and perhaps abscess. The effect of this squeezing of the sensible sole is most commonly witnessed at the angle of the inner heel, where the descending heel of the coffin bone, forcibly pressing the vascular sole upon the horny sole, ruptures a small blood-vessel, and produces what is called a corn, but which is, in fact, a bruise.

The horny frog occupies the greater part of the triangular space between the bars, and extends from the hindmost part of the foot to the centre of the sole, just over the point where the bars meet ; but is united to them only at their upper edge : the sides remain unattached and separate, and form the channels called the "Commissures."*

The frog is evidently designed for very important uses ; but, as our object is purely practical, and not speculative, we will not stop to inquire, whether its chief office is to expand the foot, and prevent contraction or not—which is debatable ground—but proceed to consider it in a point of view bearing more usefully on our subject, viz., as the part which offers us the best criterion whereby to judge of the effect of our shoeing upon the foot generally ; for no part undergoes so much change from bad shoeing, or exhibits it so soon, as the frog. If we carefully observe the form and size of the frog in the foot of a colt of from four to five years old, at its first shoeing, and then note the changes which it undergoes as the shoeings are repeated, we shall soon be convinced that a visible departure from a state of health and nature is taking place. At first it will be found large and full, with considerable elasticity ; the cleft oval in form, open, and expanding, with a continuous, well-defined, and somewhat elevated boundary ; the bulbs at the heels fully developed, plump, and rounded ; and the whole mass occupying about one-sixth of the circumference of the foot.† By degrees the fulness and elasticity will be observed to have diminished ; the bulbs at the heels will shrink, and lose their plumpness ; the cleft will become narrower, its oval form disappear, the back part of its boundary give way, and it will dwindle into a narrow crack, extended back between the wasted, or perhaps obliterated bulbs, presenting only the miserable remains of a frog, such as may be seen in the feet of most horses long accustomed to be shod.

* Page 47, fig. 1.

† Ibid.

The bones proper to the foot are three in number, viz.—the coffin bone, the navicular bone, and part of the coronet bone: they are contained within the hoof, and combine to form the coffin joint;* but the smallest of them, the navicular bone, is of far more importance as connected with our subject of shoeing, than either of the others; for upon the healthy condition of this bone, and the joint formed between it and the tendon, which passes under it to the coffin bone, and is called the navicular joint, mainly depends the usefulness of the horse to man.

This small bone,† which in a horse sixteen hands high measures only two and a quarter inches in its longer diameter, three fourths of an inch at the widest part of its shorter diameter, and half an inch in thickness in the centre, its thickest part, has the upper and under surfaces and part of one of the sides overlaid with a thin coating of gristle, and covered by a delicate secreting membrane, very liable upon the slightest injury to become inflamed; it is unfortunately so placed in the foot as to be continually exposed to danger; being situated across the hoof, behind the coffin bone, and immediately under the coronet bone;‡ whereby it is compelled to receive nearly the whole weight of the horse each time that the opposite foot is raised from the ground.

The coffin bone§ consists of a body and wings; and is fitted into the hoof, which it closely resembles in form. Its texture is particularly light and spongy, arising from the quantity of canals or tubes that traverse its substance in every direction, affording to numerous blood-vessels and nerves a safe passage to the sensitive and vascular parts surrounding it; while the unyielding nature of the bone effectually protects them from compression or injury under every variety of movement of the horse.

In an unshod foot the front and sides of the coffin bone are deeply furrowed and roughened, to secure the firmer attachment of the vascular membranous structure, by which the bone is clothed; but in the bone of a foot that has been frequently shod, this appearance is greatly changed, the furrows and roughness giving place to a comparatively smooth surface. This change I imagine to be produced by the shoe limiting if not destroying, the expansive power of that part of the horn to which it is nailed; whereby a change of structure in the membrane itself, as well as absorption of the attaching por-

* Page 50, fig. 6. † Page 50, fig. 5. ‡ Page 50, fig. 6. § Page 49, fig. 4

tions of the bone, is induced ; for it is an invariable law of the animal economy not to continue to unemployed structures the same measure of efficient reparation that is extended to parts constantly engaged in performing their allotted tasks. The shoe restricts or prevents expansion ; while Nature, as the secret influence is called, immediately sets to work to simplify the apparatus for producing the expansion, which art has thus rendered impracticable, and substitutes for it a new structure, less finely organized, but admirably suited to the altered condition of the parts.

The wings extend from the body of the bone directly backwards, and support the "lateral cartilages" of the foot.

If a coffin bone be placed upon a flat surface, it will be seen that the whole of the front of the toe is considerably raised or arched, as if a notch had been cut out of it, giving it almost the appearance of an imperfect bone.* I consider this to be one of the numerous provisions of nature for diminishing the concussion to which the horse's foot is so constantly exposed ; for if the toe of the bone corresponded exactly with the toe of the hoof, a shock would be communicated to the whole foot each time it struck against a stone or other projecting substance ; whereas this intervening space, by breaking the connection of the parts, almost entirely prevents the transmission of the jar. This conjecture is greatly strengthened by the fact, that the coffin bone of the hind foot, where the jar would be less felt, presents no such deficiency at the toe.

The coronet bone is nearly square ;† its breadth from side to side exceeds its height by about one-fifth ; it is situated partly within, and partly without the hoof ;‡ it supports the pastern bone, and rests upon the coffin and navicular bones.

The lateral cartilages are attached to the upper edge of the wings of the coffin bone, and project backwards beyond the bone, giving form and substance to the heel. About half of each rises above the hoof as high as the pastern joint, and can be distinctly felt under the skin.

The sensitive covering to the coffin bone is a prolongation of the coronary substance : it is firmly attached to the surface of the bone, and is collected into numerous little plaits or folds, which run in parallel slanting lines down its sides.

The sensitive sole, or, as it is sometimes called, the fleshy sole, is about the eighth of an inch thick, and is almost entire-

* Page 49, fig. 4.

† Page 49, fig. 3.

‡ Page 50, fig. 6.

ly made up of blood-vessels and nerves; it is one of the most vascular and sensitive parts of the body, and is attached to the lower edge of the sensitive covering of the coffin bone,—to the bars,—and point of the frog,—and also with great firmness to the whole of the arched under-surface of the coffin bone.

The sensitive frog includes not only the part corresponding to the sensitive sole, but also the peculiar spongy elastic substance which intervenes between it and the navicular joint, and fills the space between the cartilages. The proper sensitive frog is thicker, and less finely organized, than the sensitive sole, possessing fewer blood-vessels and nerves.

The coffin joint is formed by portions of the three bones of the foot meeting together within the hoof;* and is furnished with all the parts necessary to constitute a perfect joint. It is rarely, if ever, the original seat of disease.

The navicular joint,†—the least injury to which entails such disastrous consequences,—is merely a sort of false joint, or bag, formed between the under surface of the navicular bone, and the upper surface of the tendon of the muscle, whose office it is to bend the foot, by acting upon the coffin bone. It is situated beneath, and somewhat behind the coffin joint, and is lined throughout by a delicate secreting membrane, for the supply of the fluid necessary to the even sliding of the tendon over the bone, after the manner of a pulley. Any diminution in the quantity of fluid, either from inflammation of the membrane, or other cause, must produce friction of the sides of the bag upon each other, and lay the foundation for that train of fatal effects which must ensue, under such circumstances, to a part so constantly and vigorously employed as the navicular joint;—viz. first,—inflammation of the membrane,—then ulceration and absorption of the gristle,—and lastly, disease of the bone itself—a speck of which, no larger than a pin's head, produces lameness that defies all the powers of man to cure, and dooms the horse to a life of pain and misery for the remainder of his days.

Before treating of the preparation of the foot for the reception of a shoe, it is desirable to correct the generally received, but erroneous opinion, that the shape of a perfect foot is circular, or very nearly so. It is this opinion that leads the generality of smiths to direct their energies towards reducing the foot to that shape as soon as possible; indeed so impatient are some persons to commence this work of setting nature

* Page 50, fig. 6.

† Ibid

right, that they cause their colts' feet to be "*put in order*,"—as the mischievous interference is called,—long before the process of "breaking" has rendered the evil of shoeing necessary. There are very few things so little varied in nature as the form of the *ground surface* of horses' feet; for whether the hoof be high-heeled and upright,—or low-heeled and flat,—large or small,—broad or narrow,—the identical form of ground surface is maintained in each, so long as it is left entirely to nature's guidance. The outer quarter, back to the heel, is curved considerably and abruptly outwards, while the inner quarter is carried back in a gradual and easy curve.* The advantage of this form is so obvious, that it is matter for wonder it should ever be interfered with. The enlarged outer quarter extends the base and increases the hold of the foot upon the ground; while the straighter inner quarter lessens the risk of striking the foot against the opposite leg.

It should surely be our object to retain these valuable qualities as long as we can, and not lightly sacrifice either of them to a false notion of what may be considered a prettier form. Whenever we observe nature steadily persevering in one form, or one plan, depend upon it, it is not within the range of man's ingenuity to amend it; and he will better serve his own interest in accommodating his views to her laws, than in attempting to oppose them. In this spirit let us proceed with our subject.

Before the foot can be prepared for receiving a new shoe, it will be necessary to remove the old one; in doing which great care should be taken to raise all the clinches,† and every approach to violently wrenching it off should be scrupulously avoided; dragging the nails with their turned down ends through the crust, not only inflicts pain upon the horse by their pressure on the sensitive parts within the hoof,—as is evinced by his flinching and struggling to free his foot from the grasp of the smith,—but separates the fibres of the horn beyond what is necessary, and interferes with the future nail-hold. If the shoe resist a moderate effort to displace it, one or two of the nails, that appear to retain it the most, should be partly punched out: by this small trouble much future inconvenience will be saved, the enlargement of the nail-holes prevented, and the crust left in a firmer and sounder state to nail to.

* Page 47, fig. 1

† Page 48, fig. 2.

The foot being relieved of the shoe, should have the edges of the crust well rasped : to do this effectually requires a degree of force calculated to arouse the fears of the uninformed, and to make them suspect something like wanton destruction of the hoof. It is, however, only removing those parts which in the unshod foot would have been worn away by contact with the ground. The practice is further beneficial in detecting any stubs that may chance to have been left in the nail-holes.

The operation of paring out the foot is a matter requiring both skill and judgment ; and is moreover a work of some labor, when properly performed. It will be found that the operator errs much oftener by removing *too little*, than *too much* ; at least it is so with the parts that ought to be removed, which are sometimes almost as hard and unyielding as a flint-stone, and in their most favorable state require considerable exertion to cut through : the frog, on the other hand, offers so little resistance to the knife, and presents such an even, smooth, clean-looking surface when cut through, that it requires more philosophy than falls to the share of most smiths, to resist the temptation to slice it away, despite a knowledge that it would be far wiser to leave it alone.

It would be impossible to frame any rule applicable to the paring out of all horses' feet, or indeed to the feet of the same horse at all times : for instance, it is manifestly unwise to pare the sole as thin in a hot dry season, when the roads are broken up, and strewed with loose stones, as in a moderately wet one, when they are well bound and even ; for in the former case the sole is in perpetual danger of being bruised by violent contact with the loose stones, and consequently needs a thicker layer of horn for its protection ; while the latter case offers the most favorable surface that most of our horses ever have to travel upon, and should be taken advantage of for a thorough paring out of the sole, in order that the internal parts of the foot may derive the full benefit arising from an elastic and descending sole ; a state of things very essential to the due performance of their separate functions. Again : in horses with upright feet and high heels horn grows very abundantly, especially towards the toe ; and such are always benefited by having the toe shortened, the heels lowered, and the sole well pared out ; while in horses with flat feet and low heels horn grows sparingly ; and the toe of such feet, being always weak, will admit of very little shortening. Such heels being already too low, should scarcely be

touched with the rasp ; and the sole presents such a small quantity of dead horn, that the knife should be used with great discretion.

In the first case the thickness of the sole prevents the due descent of the coffin bone, when the horse's weight is thrown upon the foot ; and it requires in consequence to be pared down thinner and rendered more yielding ; while in the latter case it is already so thin and unresisting, that it can with difficulty support the coffin bone in its proper place, and offers at best but a feeble resistance to its downward tendency.

The consideration of the foregoing circumstances will show the impracticability of prescribing general directions, capable of meeting the exigences of all feet ; and the futility of attempting to establish one particular mode of paring out all feet—one particular mode of applying the shoes—or one particular form of shoe. They must, each in its turn, be varied to meet the degree of deviation from what may be called a perfect foot. Perfect feet, or indeed tolerably well formed feet, with a fair growth of horn, should have the toe shortened, the heels lowered, and the sole well pared out ; that is, all the dead horn removed, and, if need be, some of the living too, until it will yield, in some small degree, to hard pressure from the thumb.

The corners formed by the junction of the crust and bars should be well pared out, particularly on the inside ; for this is the common seat of corn, and any accumulation of horn in this situation must increase the risk of bruising the sensible sole between the inner point or heel of the coffin bone and the horny sole. I very much doubt either the utility or wisdom of leaving the bars projecting beyond the surface of the sole ; it cannot possibly increase the power of resisting contraction, and this projecting rim is left exposed to the danger of being broken and bruised by contact with stones and other hard substances ; and it is further attended with the disadvantage of making the cleaning out of these corners a work of considerable ingenuity with so unwieldy an instrument as a common drawing-knife. I prefer paring them down to a level with the sole, or very nearly so ; avoiding however every approach to what is called "opening out the heels," a most reprehensible practice, which means cutting away the sides of the bars, so as to show an apparent increase of width between the heels, which may for the time deceive the eye ; but it is a mere illusion, purchased at the expense of impaired

power of resistance in the bars, and ultimate contraction of the feet. It is self-evident, that the removing any portion from the sides of the bars must diminish their substance, and render them weaker, and consequently less able to resist contraction.

If it were not for the unaccountable prejudice in favor of carving the frog into shape at every shoeing, I should have had very little to say about it in this place: my only direction, as a general rule, would have been, *to leave it alone, and never allow a knife to approach it*: but this far-spread prejudice renders it necessary for me to explain why the knife must be so entirely withheld from the frog, while its liberal application to the other parts of the foot is shown to be so beneficial to them. First, then, the frog has naturally less power of producing horn than any other part of the foot; and the effect of shoeing seems to be, still further to diminish this power by obstructing the expansion of the hoof, and thereby exposing the membrane which secretes the horn to undue pressure: indeed in the generality of feet it would appear almost to check the growth of the frog altogether; for if we compare the size of the frog with the circumference of the foot in a horse long accustomed to be shod, we shall find the space occupied by it will not exceed one-tenth or one-twelfth of the whole circumference; whereas, in the natural and unshod foot it occupies about one-sixth. Now this dwindling down to one-half its proper size is the direct effect of shoeing and paring; but I believe that much the larger portion of the mischief is attributable to the unnecessary evil of paring, rather than the necessary one of shoeing. The reason assigned for further mutilating this fast diminishing organ at every shoeing, is a most unfounded dread that it would run all over the foot, if it were not for the controlling influence of the drawing-knife: and so general is this belief, that it is entertained more or less by almost every smith, notwithstanding the daily, nay hourly, evidence that is presented to his senses of the gradual but certain diminution of the frogs of nearly all the horses which he shoes. I have horses in my possession whose frogs have not been touched by a knife for five years, and yet it has never occurred to any one that they are overgrown; but every one is attracted by the evenness of surface and fine expanded cleft which they present. Perhaps about one in a thousand may form an exception; where a large loose-textured frog may require a little paring once or twice in a year. The

layer of horn that covers the frog is thinner in substance and more delicate in texture than that of any other part of the foot, and, when once destroyed, is very imperfectly and sparingly reproduced. The first stroke of the knife removes this thin horny covering altogether, and lays bare an under surface, totally unfitted, from its moist, soft texture, for exposure either to the hard ground or the action of the air; and in consequence of such unnatural exposure it soon becomes dry and shrinks: then follow cracks,—the edges of which turning outwards form rags; these rags are removed by the smith at the next shoeing, whereby another such surface is exposed, and another foundation laid for other rags; and so on, until at last the protruding, plump, elastic cushion, interposed by nature between the navicular joint and the ground, and so essential to its preservation from injury, is converted by the mischievous interference of art into the dry, shrunk, unyielding apology for a frog, to be seen in the foot of almost every horse that has been regularly shod for a few years. The frog is provided within itself with two very efficient modes of throwing off any superfluous horn it may be troubled with; and it is very unwise in man to interfere with them: the first and most common is the separation from its surface of small bran-like scales, which becoming dry fall off in a kind of whitish scurf, not unlike the dust that adheres to Turkey figs. The other, which is upon a larger scale, and of rarer occurrence, is sometimes called “casting the frog.” A thick layer of frog separates itself in a body, and shells off—to the full as deep as a usual paring with the knife: but it is worthy of remark, that there is this very important difference between the two operations: nature never removes the horny covering until she has provided another horny covering beneath, so that although a large portion of the frog may have been removed, there still remains a perfect frog behind, smaller it is true, but covered with horn and in every way fitted to sustain exposure; while the knife, on the contrary, removes the horny covering, but is unable to substitute any other in its stead. My advice therefore is to leave the frog to itself—nature will remove the superfluous horn, and the rags can do no harm, and, if unmolested, will soon disappear altogether.

In describing the form of the shoe, and explaining its details, I shall not hesitate to repeat any thing which I may have said before, if it should appear to me that by so doing I

can render myself more intelligible. The first recommendation I have to offer concerning the shoe itself has reference, not to its form, but to its weight, and is suggested by the prevailing idea that shoes cannot well be *too light*. A very little reflection will convince us that this notion must be founded in error, involving as it does two most objectionable properties in a shoe, viz., liability to bend, and insufficient covering. The inconvenience to a horse of an ounce or so of increased weight in each shoe is not worth a moment's consideration, compared with the discomfort to him of travelling upon a hard road with a bent shoe on his foot, straining the nails, and making unequal and painful pressure.

The other evil arising out of light shoes, is a deficiency of width in the web,* which robs the foot of much valuable protection, and leaves the sole and frog exposed to numberless injuries, that a wider web would effectually prevent.

For my own horses I not only have the web made wider than is usually met with, but I take especial care that the same width of web is continued throughout the whole shoe, back to the heels, giving increased covering and protection to the sole of the foot. The common practice is to get it narrower and narrower, until it dwindles at the heels into about half its original width;† and the only reason assigned for this injurious practice is, "liking to see the shoe well set off at the heels."‡

I know that I have a very prevalent and deep-rooted prejudice to contend with in this manner; still I do not despair of convincing some, at least, of my readers that it is both unphilosophical and detrimental; it imposes upon the understanding by deceiving the eye, and is in the last degree hurtful to the horse's foot. When a shoe is thus set off at the heels, it imparts to the foot an appearance of greater width than it really possesses; but if the shoe happened to be made of glass, or some other transparent substance, the deception would be at once detected; for then the *outer* edge of the foot would be seen to rest on the *inner* edge *only* of the shoe,§ and the whole of the remaining width of the web would be seen projecting beyond the hoof, forming a convenient clip for another horse to tread upon, but utterly useless as affording support to any part of the foot itself. A common observer, on taking up a foot with a shoe so fitted, looks only to the space between the

* Page 52, fig. 8.

† Page 53, fig. 9.

‡ Page 60, fig. 15.

§ Page 54, fig. 10.

heels of the shoe ; and if he find *that* to be considerable, he does not stop to inquire what quantity of the foot is exposed by the opening, but seeing what he calls "a good open foot," is satisfied, forgetting altogether that his inspection never extended to the foot at all, but was confined exclusively to the shoe.

Having shown in what manner this practice is unphilosophical, I will turn to the consideration of it as pernicious, it being one of the commonest causes of a horse falling suddenly lame, or dropping as if he had been shot,—two phrases unluckily in much too common use to require explanation here.

No portion of the foot needs protection from our hard stony roads, like those which are comprised in the space between the heels ; for just in front of the cleft of the frog, immediately over the centre of that space, lies the navicular joint,* which, it must be remembered, is compelled to sustain nearly the whole weight of the horse, alternately with that of the other foot at every movement he makes ; and is moreover the seat of nine-tenths of the chronic lameness to which he is liable. We must also remember, that this joint is formed by the navicular bone and the tendon which passes under it ; and we can readily imagine that its delicate membranes, being jammed against their own bone by the weight of the horse and his rider on the one hand, and a stone resting upon a hard road on the other hand, must receive a most painful and distressing squeeze ; but if, as is too often the case, these membranes chance to be in a state of inflammation, our wonder may well cease that the poor animal should drop as if he had been shot ; for more exquisite torture it is not possible to inflict upon him.

Again: if we take the weight of the horse at half a ton, and that of his rider at eleven stone, and propel the combined weights with the whole muscular power of the animal against a firmly fixed stone, it would call for no great stretch of imagination to conceive that the collision might sometimes fracture so small a bone as the navicular bone, and produce instant and incurable lameness. These things do happen ; and it is to obviate *them*, and the intermediate train of smaller evils, that I always employ a tolerably wide-webbed shoe, and bring in the heels of it almost close to the frog, so as to reduce the opening between the heels as much as I con-

veniently call: and, if in fitting the shoe, I observe a corner pressing upon, or in any way interfering with the frog, I cause it to be cut off, rather than have the shoe opened out to let in the frog; for in opening out the shoe, a portion equal to the objectionable corner must be thrust out beyond the hoof, which is very undesirable, as presenting a ready hold for stiff ground to pull the shoe off by. This plan of bringing in the heels, while it covers and protects the angles whence the bars are reflected,* at the same time draws the sides of the shoe nearer together, and opposes to the stony road a surface of iron instead of the unprotected foot, warding off thereby many a blow, that would otherwise prove highly injurious.

There is a notion very generally entertained, that the foot receives its form from the shoe,—an inference, I take it, drawn from the feet of Chinese ladies, but totally unsupported by any thing which happens to the foot of the horse: still it does exist, and I have no doubt tends in a great degree to keep up the prejudice in favor of open-heeled shoes. The truth really is, that the shape of the shoe cannot by possibility influence the shape of the foot; for the foot, being elastic, expands to the weight of the horse in precisely the same degree, whether it be resting upon the most open or the most contracted shoe: it is the *situation of the nails*, and not the shape of the shoe, that determines the form of the foot; and whether the shoe be wide or narrow, if the heels and quarters of both sides be nailed to it, the foot will inevitably become smaller and smaller, and the heels more and more contracted. The most open shoe will avail no more than the narrowest. If the nails, on the contrary, be placed in the outside quarter and toe, leaving the heels and quarters of the inside, which are the most expansive portions, free,† no shape that we can give to the shoe can of itself change the form of the foot; for, supposing the shoe to be too contracted, the foot will expand out over it, provided it be not restrained by the too backward placing of the nails. I would not however be understood to mean, that the shape of the shoe is therefore of no importance; for I trust I have already proved the contrary, while considering the mischievous tendency of that form which is “well set off at the heels”—inviting, as it were with open arms, every hard substance in the road “to come and do its worst;” as though the numerous ills the foot is unavoidably

* Page 56, fig. 12.

† Page 55, fig. 11.

exposed to, and which no ingenuity can avert, were not sufficiently distressing to the horse, or vexatious in their consequences to its owner. Seeing then that the shape of the foot is in no way changed by the form of the shoe, both wisdom and interest would prompt us to adopt that form which possesses the greatest number of advantages with the fewest disadvantages; and such a form it shall now be my endeavor to describe in detail. The shoe must, as we have seen, possess substance enough to prevent its bending, and width of web enough to ensure protection to the foot;—the thickness, like the width, of web, should continue precisely the same from toe to heel,* and not, as is generally the case, increase as it proceeds backwards, until at the heels it becomes fully doubled.† This is a great evil for many reasons, and among others, that it throws the horse forwards upon the toe, and causes him to strike it against every projection which comes in its way. Now, as horses are quite sufficiently prone to do this without the assistance of high-heeled shoes, it should be our business to obviate it as much as possible; and I find this is best accomplished by keeping the heels of an even thickness with the rest of the shoe, and turning up the toe out of the line of wear,‡ thereby imparting to the toe of a new shoe when placed upon a flat surface, the same elevation from the ground line as that of an old one.

In doing this we only carry out in the shoe what nature has already done in the foot; she has arched the toe of the coffin bone,§ to diminish the effect of a jar at the toe; and we do the same to the shoe, to lessen the cause of the jar. The common practice is just the reverse of this; it welds a lump of steel into the toe, which not only increases its thickness, and the number of obstacles that it necessarily encounters, but, being of a harder texture, is longer wearing down, and consequently exposes the foot to the greatest amount of concussion. Supposing a horse to wear his shoes so hard, that they will not last a month,—much beyond which, as the foot will outgrow them, they had better not last,—then steel the toe; but still let it be turned up as much out of the line of wear as possible. A small clip at the point of the toe|| is very desirable as preventing displacement of the shoe backwards: it need not be driven up hard; it is merely required as a check or stay. The shoe should be sufficiently

* Page 59, fig. 14.

§ Page 49, fig. 4.

† Page 58, fig. 13.

|| Page 51, fig. 7.

‡ Page 48, fig. 2.

long, fully to support the angles at the heels,* and not, as is too often the case, so short, that a little wear imbeds the edge of it in the horn at these parts.† The foot surface of the shoe should always have a good flat even space left all around for the crust to bear upon;‡ for it must be remembered, that the crust sustains the whole weight of the horse, and needs to have a perfectly even bearing everywhere around the shoe. In this space the nail-holes should be punched,§ and not, as is too often the case, partly in *it*, and partly in the seating.|| In what is technically called “back-holing the shoe,” which means completing the opening of the nail-holes on the foot surface, great care should be taken to give them an outward direction, so as to allow the points of the nails to be brought out low down in the crust. The remainder of the foot surface should be carefully seated out, particularly around the elevated toe,¶ where it might otherwise press inconveniently upon the sole; and I would have the seating carried on fairly to the point where the crust and the bars meet, in order that there may be no pressure in the seat of corns: the chance of pressure in this situation will be further diminished by bevelling off the inner edge of the heels with a rasp.

The ground surface should be perfectly flat, with a fullering or groove running round the outer edge, just under the plain surface, whereon the crust bears.** The principal use of the fuller is to receive the heads of the nails that secure the shoe, and prevent their bending or breaking off:—it is further useful in increasing the hold of the shoe upon the ground, and with this view I always have it carried back to the heels.

The danger apprehended from the shoe being applied to the foot so hot as to burn the crust, and cause it to smoke, is utterly groundless. I would not have it made to burn itself into its place upon the foot, without the assistance of rasp or drawing-knife, but I would have it tried to the foot sufficiently hot to scorch every part that bears unevenly upon it; because the advantage of detecting such projecting portions is very great, and this mode of accomplishing it is positively harmless. Indeed it is the only one by which the even bearing necessary to a perfect fitting of the shoe can be insured.

* Page 61, fig. 16.

† Page 60, fig. 15.

‡ Page 51, fig. 7.

§ Page 61, fig. 16.

|| Page 60, fig. 15.

¶ Page 51, fig. 7.

** Page 52, fig. 8.

No shoe should ever be nailed to the foot until it has been ascertained that the pressure of the hands is sufficient to keep it steadily in its place, and preclude any appearance of daylight between it and the foot; for, if the shoe does not accurately correspond to the surface of the foot, but is disposed to shift about upon it, the nails will be exposed to a constant strain in order to keep it in its place; whereas they should merely have to hold it to the foot, and not, as it were, to keep it there by force.

The shoes should not be permitted to remain on the horse's feet more than two or three weeks without removal; for in that time the heads of the nails will have become worn, and, from fitting the holes less perfectly than before, will admit of a trifling motion of the shoe upon the nails; whereby the holes in the hoof will be enlarged, and the security of the shoe endangered. Another reason for removing the shoes, is the opportunity which it affords of paring away those portions of horn which in a state of nature would have been worn down by contact with the ground.

The next circumstance to be considered is one of vital importance to our subject, as upon it depends the amount of disturbance that the natural functions of the foot are destined to sustain from the shoe; viz., the number and situation of the nails which are to secure it to the foot. If they be numerous, and placed back in the quarters and heels, no form of shoe, be it ever so perfect, can save the foot from contraction and navicular disease. If on the contrary they be few, and placed in the outside quarter and toe, leaving the inside quarter and heels quite free to expand, no form of shoe is so bad that it can, from defective form alone, produce contraction of the foot.

Three years ago I commenced a series of experiments upon shoeing, with a view, among other things, of ascertaining how *few* nails are absolutely necessary, under ordinary circumstances, for retaining a shoe securely in its place. The subjects of my experiments were six horses of my own, and three belonging to friends; the nine among them representing very fairly the different classes of pleasure horses; not indeed including hunters or race-horses, each of which require a separate and totally different treatment, but carriage horses, ladies' horses, and roadsters; and they also included the common variations in form and texture of the generality of horses' feet.

When my attention was first directed to the subject of

nailling, I was employing seven nails in each fore, and eight in each hind shoe. I then withdrew one nail from each shoe, thus reducing the number to six in the fore, and seven in the hind shoes; and finding at the end of a year that the shoes of all the horses had been as firmly retained as formerly, I withdrew another nail from each shoe, leaving only five in the fore shoes and six in the hind. I found, however, that six nails would not retain the hind shoe of a carriage horse, without allowing it sometimes to shift; so I returned to seven in the hind shoes, and have continued to employ that number ever since: but five have retained all the fore shoes as firmly during the whole of the last year and a half, as six had previously done.

I have invariably directed and superintended the whole operation of shoeing during these experiments; and have always been very careful to mark that the nails were not driven high up in the crust, but brought out as soon as possible; and that they were very lightly driven up before the clinches were turned down, and not, as is generally the case, forced up with all the power that the smith can bring to bear upon them with his hammer. I mention these circumstances to show that my object really was to ascertain *how little* would retain a shoe, and to what extent the foot might be relieved from the evil of unnecessary restraint; a matter sometimes of great moment, and at all times desirable.

The clinches should not be rasped away too fine, but turned down broad and firm. The practice of rasping the whole surface of the hoof after the clinches have been turned down, should never be permitted; it destroys the covering provided by nature as a protection against the too rapid evaporation of the moisture of the hoof, and causes the horn to become dry and brittle.

Two of the horses alluded to above, worked for some time with only four nails in their fore shoes.

I have detailed these experiments with a view to expose the groundless nature of the fear that expects to cast a shoe at every step, unless it be held to the foot by eight or nine nails, driven high into the crust. If the presence of a nail in the crust were a matter of no moment, and two or three more than are necessary were *merely useless*, there would be no great reason to interfere with this practice of making "assurance doubly sure;" but it is far otherwise,—the nails separate the fibres of the horn, and they never by any chance

become united again, but continue asunder and unclosed, until by degrees they grow down with the rest of the hoof, and are ultimately, after repeated shoeings, removed by the knife.

If the clinches should happen to rise, they must be replaced without delay ; as such rising imparts to the nails a freedom of motion which is sure to enlarge the size of the holes,—and this mischief is often increased by the violent wrenching which the shoe undergoes from side to side in the process of removal by the smith.

Now as these holes cannot possibly grow down, and be removed under three shoeings, it will be found that even with seven nails, the crust must always have twenty-one of these separations existing in it at the same time ; and as they are often from a variety of causes extended into each other, they necessarily keep it in a brittle unhealthy state, and materially interfere with the security of the future nail-hold. Unluckily the common practice under such circumstances is to increase the number of nails, with the view of ensuring the security of the shoe, while on the contrary it increases the evil. My object is to show that these shaky places, as they are called, may be relieved by the omission of one or two of the nails, without endangering the security of the shoe. Suppose the number employed to be seven,—to gain such an end they may be safely reduced to five, which is the largest number I have employed for more than two years ; and until I discover some good reason for increasing it, it is the largest I intend to employ. But I am far from advising the general adoption of this number ; for if from imperfect fitting of the shoe, misplacement of the nails, neglect of removing in proper time, or from any other cause, the horse should chance to cast a shoe, the whole blame would be attributed to the five nails, and the poor beast in all probability be doomed to eight or nine for the remainder of his life. I do, however very strongly advise the adoption of six, knowing them to be fully sufficient for retaining the shoes of all pleasure horses under all circumstances, except perhaps hunters. Since the foregoing was published, Colonel Luttrell, master of the Somersetshire fox-hounds, has informed me that the horse which he rode most frequently last season was shod with six nails only,—not one of which, in consequence of his cutting a good deal, was placed in the inner quarter,—and that he experienced no inconvenience whatever from the plan. If I had entertained the smallest doubt about their efficiency,

it would have been entirely removed on the arrival of the Thirteenth Light Dragoons last year in Exeter; for among the horses of that regiment, I found, through the kindness of Lieut. Col. Brunton, who allowed me to inspect the shoeing, the strongest possible confirmation of the truth of my position. Here were horses with every variety of feet shod with six nails only, and these all placed in the outside limb and toe of the shoe, all the remainder of the shoe remaining free and unattached to the foot. Mr. Legrew, the very intelligent veterinary surgeon of the regiment, informed me that he had not employed more than six nails for nearly two years, and that the loss of a shoe was a very rare occurrence with them, even on a field-day, than which there is scarcely any work more trying to the security of horses' shoes. Any mode of fastening that has proved itself equal to retaining the shoes through a long field-day, in stiff ground, may very safely be recommended as fully sufficient for all ordinary purposes.

The question of the efficiency of six nails for road work is settled, I should think, to the satisfaction of the most skeptical, by the fact of the Thirteenth having done the Queen's escort duty during their year at Hounslow without the loss of a single shoe. Any one acquainted with the rapid pace at which her Majesty invariably travels on the road, will readily admit the sufficiency of the test.

During the last six months I have arranged my five nails upon this "system of one-sided nailing," recommended and first practised by Mr. James Turner; and the result has been most satisfactory,—the shoes have not only been firmly, but *easily* held to the feet, as is evidenced by the clinches not having risen in one single instance,—a clear proof that the struggle between the expansion of the foot and the resistance of the shoe is entirely overcome by this mode of fastening. A further experience of nine months since the publication of the first edition, has fully confirmed the above conclusions in every particular. This very desirable end appears to be attained in the following manner: the outer side of the foot, being the only part nailed to the shoe, carries the whole shoe with it at every expansion; while the inner side, being unattached, expands independently of it, whereby all strain upon the nails is avoided, and the foot is left, with respect to its power of expansion, as nearly as possible in a state of nature.

An unexpected benefit has arisen to one of my horses from this plan, in the total disappearance of two very troublesome

corns: they had existed in his feet for ten years, during seven of which I tried every plan that I had ever heard of as likely to effect a cure,—both in form of shoe and local application,—without, however, any decided advantage; but the adoption of this plan of fastening the shoe to the foot, by removing all restraint and pressure from the part, has accidentally achieved that which I had so long sought in vain.

Since writing the above, I learned that a commercial traveller, who was detained in Exeter on account of an accident, had for some time past employed only five nails, placed in the outer limb and toe of his horse's fore shoes. Upon hearing which, I made a point of seeing him; and he informed me, that he always performed his journeys on horseback; that they averaged full five thousand miles a year, and that his comfort necessarily depended very much upon the freedom of action and safe going of his horse; that about fourteen weeks ago he found him stepping short, and going tenderly, and consulted a veterinary surgeon about it, who advised his being shod with five nails only upon the one-sided plan of nailing, asserting, at the same time, that he had recommended and employed that plan very extensively with most beneficial results. It was accordingly tried, and he very soon had the gratification of feeling his horse move under him with a firm and confident step, most unlike that to which he had lately been accustomed. He told me, that further experience had only confirmed his first impression; and that he should continue to shoe upon the same system, with the same number of nails; that the first pair of shoes set at rest all his doubts and fears about the insecurity of the plan, for he had occasion to ride his horse, in the new shoes, thirty miles a day for the first six days in succession; and that they were as firmly attached to the feet at the end of one hundred and eighty miles, as they were at the commencement of the journey; and that they continued firm, until the horse was reshod, which did not happen for five weeks. He also told me, that he has found five nails retain a shoe, with leather between it and the foot, for an equally long period. I have, likewise, myself tested their capability of holding a shoe with leather under it, having shod a horse in that manner for the last two months; and although I have not permitted the shoe to remain on for five weeks without removal, I have satisfied myself that they are fully equal to retaining the shoe as long as it ought to remain on.

The horse in question is as unfavorable a subject for the

experiment as could have been selected, being twenty years old, with large, flat, brittle feet, and high action. He is, moreover, of a nervous temperament, and occasionally knocks his feet about very much : I have, nevertheless, continued to shoe him in leather during the nine months which have elapsed since the publication of the foregoing, and the result has shown the plan to have been eminently successful : the character of the horn has changed from brittle and shaky to firm and tough, and affords secure nail-hold in every part. His shoes, which were removed three weeks ago, are now entirely worn out, and I thought it might prove interesting to those who, like myself, wish to know *how little* will retain a shoe, when it has been once accurately fitted to the foot, if I recorded the particulars of the examination which I made of them this morning. I found them securely held to the feet, and the clinches unmoved :—not one of the five nails, which constituted the only fastening of either of the fore shoes, had penetrated quite an inch up the crust, before it was brought out and clinched down ; and the last on the inside, which was five inches and three-quarters from the heel, barely extended three-quarters of an inch up the crust. Lighter fastening than this cannot be conceived, and, I take it, could only succeed, where the horn has become solid, and the shoe has been fitted with great care. The smallest uneven bearing of the crust upon the shoe, or the least projection of the shoe beyond the hoof, at the quarters or sides of the heels, would to a certainty endanger its security.

I may here remark, that the habit of encumbering the sole and frog with a *thick* layer of tow between them and the leather, is very objectionable : it causes unnecessary heat and pressure, and should for these reasons be avoided. The principal object of tow is to block up the openings, through which gravel and dirt would otherwise insinuate themselves between the leather and the foot ; its presence should therefore be confined to the cleft of the frog,—the commissures,—and the angles between the heels and the bars. These parts should be filled to a level with the body of the frog, so as to enable them to share the pressure with it ; but none should be permitted to rest upon the frog itself. The long straggling ends should be collected together, and spread over the sole—the ends of one side being made to overlap those of the other. By this plan they will become fixed in the tar and grease, with which the foot ought previously to have been liberally

dressed, and will materially assist in overcoming the tendency that the tow has to work itself out.

Much of the inconvenience supposed to arise from shoeing with leather, is caused by the injudicious placement of the tow. I believe that many horses derive great comfort from having leather inserted between the foot and the shoe; particularly when the surface of the roads is broken up, and strewn with loose stones. Its use is sometimes objected to on the ground that it rots the frog; but this is altogether a mistake: what appears to be decayed frog, is nothing more than an accumulation of the natural exfoliation of horn, which the presence of the leather has not allowed to escape.

In the first edition I omitted to say any thing about the treatment of the hind foot, because I considered it of less importance than that of the fore foot; but as I was repeatedly assured that a few general remarks upon it would not prove altogether unacceptable, I availed myself of the first opportunity that offered of appending them.

The hind foot certainly does not demand the same measure of attention as the fore foot, inasmuch as its position in the horse and the nature of its office render it less liable to injury, and consequently, less frequently lame. It is, however, by no means entirely exempt, nor does it always escape disease of its navicular joint; for I have myself found disease in a navicular bone taken from a hind foot. This being the case, then, we should endeavor to guard against it by interfering as little as possible with its expansive power; and that will be best done by keeping the nails on the inside as far removed from the heel as we conveniently can, to which end I recommend the employment of seven nails only, —four to be placed in the outer and three in the inner side of the shoe. The holes in the inner side are to be punched closer together, and kept more towards the toe than those on the outside, which need to be more spread out, as affording greater security of hold to the foot. The shoe should be carefully fitted to the hoof all round, particularly at the heels, which are too commonly left without any support whatever; and the mischievous custom of turning down the outer heel only must be avoided, because it throws the weight entirely upon the inner quarter, which is the part the least able to bear it, and causes much uncomfortable strain to the fetlock joint above. Calkins, even though they may be turned down of perfectly even lengths on each side, which, however, is very rarely done, are objectionable appendages, and had better be

dispensed with, excepting, perhaps, for very heavy draft, where their ends, by entering the ground, may prevent the foot from slipping backwards, and may thus enable the toe to obtain a firmer hold. For carriage and riding horses I much prefer to have the shoe, for the last two inches, made gradually thicker towards the ground surface, the last inch being plane with the ground; and I believe that such a form often prevents strains of the back sinews, when a horse is suddenly stopped with his hind feet far under him, or when he has to hold back a carriage against a steep hill.

The toe being the part of the hind shoe which is exposed to the greatest wear, requires to have considerable substance given to it, and should always be accompanied by a strong narrow clip turned up in front of the hoof, to obviate the danger of the shoe being forced back upon the foot, a circumstance very likely to happen where a clip is not employed. Clips on the side of the foot are of very doubtful advantage in retaining the shoe, and are decidedly objectionable, as occupying the place of nails, which would perform the duty much more efficiently, and inflict less injury upon the horn. The common objection urged against a clip at the toe, viz. that it causes the unpleasant noise called "forging," arises from the abuse rather than the use of it; for if we consider for a moment how "forging" is occasioned, we shall see that a stout narrow clip, properly let into the horn at the toe, is not at all likely to produce it, although a broad clumsy one, extending from side to side of the toe, occasionally may.

Before a horse can advance his fore foot, he must disengage it from the ground;—to effect this he is obliged to raise it in a direction inclining upwards and backwards, and, if he happen to dwell in the performance of this preliminary movement, the hind foot, which is propelled forwards and downwards, to be deposited beyond the spot that was the moment before occupied by the fore foot, comes into collision with it, and forces the toe, clip and all, into the hollow of the fore foot turned up ready to receive it. Now in doing this the clip is not brought into immediate contact with iron, but is struck against either sole or frog, as the case may be, and cannot produce any very audible sound: the truth is, that the offensive noise is caused by the meeting of the edges of the two shoes at the points, where the hind shoe is stopped from entering further into the opening of the fore shoe.

These points of contact are almost always indicated by a bright spot on each side of the rim of the hind shoe, and are

generally to be found at the extremities of the toe on either side, just where the shoe begins to turn backwards, and they should be removed by the file :—indeed it is a good plan always to make the front of the toe of the hind shoe to incline backwards, as it approaches the ground, so as to place the ground surface somewhat further back than the foot surface.

There is one other circumstance connected with the toe of the hind shoe deserving of notice ; I mean that part with which a horse inflicts upon himself the injury called an “overreach,” and which is erroneously supposed to be the *front* of the shoe at the toe, whereas it is invariably caused by the *back* edge of the web at the toe, which in an old shoe becomes as sharp as a knife, and often cuts out a piece from the soft parts immediately above the heel of the fore foot as clean as any knife could have done it. To avoid this accident which sometimes produces very great inconvenience, the back edge of the web all round the toe should be filed away, until it presents a blunt rounded surface, which, if it should fail in preventing the overreach altogether, will at least preserve the parts from being wounded.

While treating of the hind shoe, I may perhaps be expected to give some directions for obviating the inconvenient habit which some horses have of “cutting ;” but as each individual horse has his own particular mode of doing it, any general rule as applied to the shoe, must of necessity fail to meet the requirements of the great majority of cases. Our first care should be to acquaint ourselves with the exact part of the shoe with which the injury is inflicted :—until this is clearly ascertained we shall be working in the dark, and most probably do a great deal more than is necessary. The plan I have always adopted has been to apply a boot covered with wet pipe-clay to the injured leg, and then to trot the horse some little distance :—the result has been the transfer of a portion of the pipe-clay to the offending part of the opposite shoe, thereby indicating the necessity of its removal. The small extent, and little suspected situation of such part, is sometimes truly surprising. I once, in a case of inveterate cutting, found the pipe-clay adhering to the *outside toe*. In this case the poor horse had been subjected to shoes of every conceivable shape and deformity, without, of course, any other result than the torture arising from the twisting and straining consequent upon uneven bearing : but the moment the offending part was discovered and removed, the cutting ceased ;

even bearing was then restored to the foot, and the horse thereby placed in comfort.

Cutting with the fore foot is almost always to be prevented by one-sided nailing, and keeping the shoe a little within the edge of the crust on the inner side; but as this is generally overdone, by placing the shoe so much within as to deprive the crust of its requisite support, it will be advisable to ascertain, by the use of pipe-clay, the exact point with which the shoe strikes, when the part needing alteration at once discloses itself.

The practice of shoeing horses in the stable, away from the forge, where there is no possibility of correcting any defect in the fitting of the shoe, is so utterly opposed to reason and common sense, that I should only have adverted to it as a custom of bygone days, exploded with the use of the buttress, and the notion of chest founder, if I had not actually witnessed its perpetration four times within the last year, and that too in the stables of gentlemen by no means addicted upon other matters to yield their judgment a ready captive to other men's prejudices. Now if either of these gentlemen had happened to ask the smith "what he was doing?" the answer would in all probability have awakened him to a sudden conviction, that he was giving his countenance to a most unphilosophical proceeding; for the smith would have told him, that he was *fitting a shoe to the horse's foot*, which the gentleman would at once perceive to be *impossible*; inasmuch as he had no means at hand whereby to effect the smallest change in the form of the shoe, however much it might require it; and the truth would instantly force itself upon him, that the man was fitting the *foot* to the *shoe*, and not, as he supposed, the *shoe* to the *foot*. To fit the *shoe* to the *foot* without the aid of anvil and forge is impossible; and any one acquainted with the exactness and precision necessary to a perfect fitting, would not hesitate to declare the attempt to be as absurd as it is mischievous. Suppose, for example, the shoe to be a little too wide in any particular part; this will throw the nail-holes rather further out than they ought to be; but as there are no means of altering it, *there* the nails must be driven, and a constant strain outwards will be the inevitable consequence: if on the contrary it be too narrow, the strain will be inwards, and press upon the sensitive parts of the foot: in either case producing uneasiness, and causing the horse to move with a feeling, undecided step. Again: if the crust have not an even bearing everywhere

upon the foot surface of the shoe, the part so deprived of support, being elastic, will be unable to resist the pressure from above, or the outward thrust of the parts within, and yielding to this twofold force, will drag upon the elastic union between the hoof and the internal parts of the foot at that particular place, and cause great uneasiness; and this is by no means an unfrequent source of stumbling and broken knees.

Although I do not mean to assert that shoeing at the forge will of itself ensure good fitting, I do assert that it is attended with this great advantage—that, if the smith be inclined to do it well, it supplies him with the means of indulging his inclination; whereas in the stable, no quantity of zeal will enable him to do more than make the best of a bad matter.

The only reason I have ever heard in defence of this practice, is the alleged liability of horses to take cold from exposure to the drafts in a smith's forge. I can only say in answer, that it has never happened to my own; and I believe that a little care, and some extra clothing would ensure the same exemption for others.

Although it is no part of my plan to enter upon the subject of shoeing hunters, or plating race-horses, I may still perhaps be excused for offering a few general observations upon both, before I take leave of the subject of shoeing altogether.

In reference to the hunter, I would advise, as soon as the hunting season is over, and the altered nature of his work will admit of it, that his feet be relieved, as much as possible by the substitution of longer shoes, with broader web, and fewer fastenings, particularly on the inside; and that he continue to be so shod, until the return of the hunting season calls again for the hunting shoe. It is too much the custom to consider, that because a horse happens to be a hunter, he must therefore be shod all the year round in short shoes so firmly fastened to his feet that the foot itself would be as likely to be pulled off as the shoe.

A far greater difference is made between the shoe of a hunter and the shoe of a hack than there need be, both in form and fastenings; and many a valuable horse has been disabled for a whole season, if not ruined for life, because a shoe could not come off, and save the foot and leg from a fearful strain. When the wrench is very violent the shoe had better yield.

With regard to race-horses, I am confident that a greater

number lose their races from the situation and number of the nails employed in plating, than from any other cause whatever, not even excepting the trickery and tampering, sometimes practised, but oftener I believe unjustly suspected.

The dread of casting a plate is so great, that it is no uncommon thing to see them secured by eight or nine nails, extended from heel to heel. Now it is impossible that a hoof so fettered can yield or expand to any force applied to it through the medium of the weight and power of the horse; and it is also certain, that, if the hoof do not expand, the violence with which a race-horse lashes the ground at every stride, must needs squeeze the sensitive parts very uncomfortably between the bones of the foot and this unyielding hoof, and deter him in some degree from throwing his whole weight with all his heart *into his feet*, as he does when he has no apprehension of producing pain thereby. Now let us see what the effect of stepping short, say only *one inch*, upon each stride would be in running over the Derby course, (a mile and a half.)

The estimated stride of a race-horse averages twenty-four feet: it would therefore require three hundred and thirty such strides to accomplish the proposed distance; and the loss of one inch only upon each stride would give a total loss upon the whole distance of three hundred and thirty inches, or nine yards and six inches,—equal to rather more than three lengths of a horse sixteen hands high: but suppose the loss of distance to be four inches upon each stride, which it is much more likely to be; then the loss would be thirty-six yards and two feet, or thirteen lengths; fully enough to raise a cry of “foul play,” “the horse is amiss,” &c. Now no jockey in the world, however frequently he may have ridden a horse, could so exactly measure his stride, as to be enabled to detect a deficiency of *one seventy-second* part of it, which four inches would be; much less could he detect the *two hundred and eighty-eighth* part of it, which one inch would be; so that he could never make himself acquainted with the real cause of so signal and unexpected a defeat; and the whole matter would remain involved in mystery, casting suspicion and distrust on all around.

How commonly do we hear that a horse performed his last gallop at a much better pace than he ran his race; and what a catalogue of causes are conjured up to account for the falling off in his speed; not one of which in all probability has **any thing** to do with the matter. ∴ would most likely be

found that he had taken his gallop in shoes to which his feet had become accustomed; but he ran his race in new plates firmly nailed from heel to heel, "making him quite safe," by putting it out of the range of possibility that he should ever be enabled to "get into his best pace," for there is nothing more certain than the fact, that a horse cannot go his best pace unless his feet are allowed to expand freely to his weight at every stride. A ready way of permitting this expansion would be the adoption of three-quarter plates extending from the outer heel to the commencement of the inner quarter, which would effectually protect those parts most exposed to wear and tear in the generality of horses' feet, viz. from the inner toe across the foot to the outer-quarter. Such a plate might be very securely retained by six nails distributed between the outer heel and inner toe, thereby reserving to the whole inner side of the hoof its uncontrolled power of expansion.

I turn now to the consideration of a subject of fully as much importance to the health and soundness of a horse's foot as good shoeing itself; I mean that inestimable blessing to him, *freedom of motion in the stable*. The advantages of a loose box are so little understood by horse-masters in general, that its usefulness is almost entirely limited in their estimation to sickness and disease: and it is no uncommon sight to behold two or three loose boxes untenanted, because, forsooth, there are no sick horses in the stud.

I was first led to divide my stable into boxes instead of stalls from motives of compassion for my horse, and a desire to rid myself of the uncomfortable feeling it always produces in me, to see so docile and generous an animal subject to even greater restraint than a wild beast in a menagerie; for the lion or tiger is permitted freely to traverse his small den, while the poor horse is chained by the head to a fixed point in his still smaller den, a prisoner twice imprisoned, and denied even the poor relief afforded by a change of position. I little thought, while thus solely bent upon ministering to my horse's comfort, how essentially I was furthering my own interest, until an accident brought me acquainted with Mr. James Turner's invaluable treatise on the foot of the horse, where I first learned, what subsequent experience has fully confirmed to me, the wonderful extent to which the usefulness of the horse is *secured and prolonged* by the freedom of motion obtained in a loose box. We have already seen how materially his usefulness is impaired by the

smallest injury to the navicular joint; and we have also seen the beautiful provision nature has made for its protection from injury in the elastic cushion interposed between it and the horny frog. It shall now be my endeavor to show in what manner a loose box tends to keep this cushion in a healthy state of elasticity.

Nature forms nothing in vain; all her works are designed for specific purposes; each organ has its separate function assigned to it; and the only condition upon which she will consent to keep it in efficient repair, is the regular and periodical performance of that function. For instance, suppose an accident deprive a man of the use of his arm for a few months; the muscles at the end of that period will be found visibly shrunk, and the whole arm considerably smaller than its companion, constituting, in horsemen's language, "a very bad match." Here the non-employment of the muscles has accelerated the process of absorption, while that of restoration has been nearly suspended. The muscles of the other arm on the contrary, being regularly employed, have earned and received their due measure of restoration, and retain their original dimensions: and so it is with the elastic cushion in the horse's foot; if we deprive the horse of the power of alternately expanding and contracting his foot, as nature intended he should do, this cushion will shrink and lose its elasticity; but if we supply him with the means of doing so, he will avail himself of them, and its elasticity will be retained to a good old age.

The almost perpetual movement of a horse in a state of nature, while grazing, greatly tends to preserve the different elastic parts of his foot in a sound and healthy condition, by the regular compression and expansion which they undergo, according as his weight is thrown upon or removed from them; but if we chain him to a post for twenty-two out of every twenty-four hours, we can scarcely wonder that so unnatural a proceeding should derange an organ that requires motion to preserve it in health. Take, in illustration of the mischievous tendency of this practice, the horses of a cavalry regiment: they have every thing in favor of sound feet except the *stall* and the *rack chain*; they are entirely exempt from the hard work which is generally referred to as the cause of grogginess; they have no oft-repeated and long journeys to perform at a fast pace on the hard road; their exercise, shoeing, grooming, and feeding are all administered with clockwork regularity; the litter is carefully

removed from under their feet during the day ; the veterinary surgeon is always at hand, to attend to the first symptom of lameness ; and still there are more horses cast as un-serviceable every year from disabilities commencing in the foot, than from all other causes combined. The *rest*, and not the *work*, has wrought the ill. Now let us see how loose boxes are to prevent these evils. When a horse is free to move, he very rarely remains long in the same place or the same position ; he is perpetually turning himself about, either to catch a distant sound, or observe an approaching footstep : every thing attracts him ; every thing interests him ; and, what is of far greater moment, every thing causes him to *move* ; whereby each foot is benefited to the extent of some four or five expansions and contractions ; and the sound of the corn-bin at feeding-time will produce at least fifty such. It is far otherwise with the poor beast chained up in a stall ; he is attracted by the same sounds ; hears the same step approach ; and feels the same interest : he pricks his ears, bends his head, and strains his neck ; but alas ! he does not move ; his feet are not expanded ; turning about he knows to be impossible, and therefore he does not attempt it ; even the sound of the corn-bin, though it excite him to jump and play, will scarcely cause him to expand his feet ; the excitement inclines him to rush forward, while the wall forbids him to comply ; and he is forced to collect himself, so as to throw his weight upon his hind quarters, almost to the entire exclusion of the fore feet. Horses accustomed to a loose box generally acquire a slow, deliberate movement in it, allowing their weight to dwell evenly and fully upon each fore foot ; while those kept in a stall for the most part move in it with a quick, sudden, catching motion, scarcely ever intrusting their whole weight to either foot for more than an instant.

In speaking of the baneful effects of stalls, Mr. Turner says, "I firmly believe, that if every valuable horse in this kingdom were to be forthwith turned into a large box, night and day, besides the continuance at his ordinary work, it would prove the worst event for veterinary surgeons that has ever happened in the horse world ; because it would tend more to cut off our supply of groggy lameness and its attendants, than any circumstance or single cause that has ever yet been published or even named."

With the expression of my entire concurrence in this opinion, I will proceed to consider the objections commonly

urged against loose boxes, which for the most part are so weak, that I cannot conceive their prevailing much longer against such vast advantages: the only serious one is want of space; and that is often pleaded where it has no real existence. Most modern stables are built with stalls from six to seven feet wide, with plenty of room behind the horses to allow of passing without incurring the danger of being kicked:—in such a stable, sink a second heel-post at just sufficient distance from the wall to allow a free passage; and take the space, so gained, into the stall; close it with a gate, and you will have a very fair substitute, in the absence of a better, for a loose box, and that too without sacrificing a standing for a horse: but, if a stall can be conveniently spared, a four-stalled stable may be converted into three very good boxes by shifting the divisions, and taking in the space in the rear of the horses.*

Upon the whole, I very much prefer this kind of arrangement (with, of course, as much space as can be afforded to each division) to boxes separated from each other by walls; for the horse is naturally a social animal, and his enjoyment is greatly increased by seeing, as well as hearing, his companions. The best kind of partition between such boxes is "brick noggin," cased on each side with board, and surmounted by iron rails: the former may be about five feet in height, and the latter about two. But as the wall approaches the manger, its height should be increased, and that of the rails diminished, so as to prevent the horses watching each other while they are feeding. When one horse can overlook another, while they are both feeding, it is very apt to cause them to swallow their food without properly masticating it, either from the hope of participating in their neighbor's share, or the fear of losing some portion of their own.

The question of space may be fairly left to itself; for, if there be positively none, there ends the matter; and if it be doubtful, that trite adage, "where there's a will, there's a way," will give the horse the benefit of the doubt. But the real objection,—that which lurks at the bottom of all the others,—is the power a loose box gives to the horse of lying down, and "dirting" himself, after he has been made clean for the day; this is the insurmountable objection that has hitherto so stoutly withstood the pleadings of humanity for

the poor horse: and perhaps, while the question rested solely upon that ground, the groom might be in some degree excused for striking the balance between *his* trouble and the horse's enjoyment in his own favor; but now that the blessing of sound feet is shown to be involved in it, there can be very few grooms, indeed none worthy the name of groom, who would not willingly incur twice as much trouble to secure such a benefit to their horses: and, when horse-masters once become thoroughly alive to the importance of this matter,—when they remember that the natural life of a horse is from thirty-five to forty years, and that three-fourths of them die or are destroyed under twelve years old—used up, with scarcely a foot to go upon,—I take it they will be very apt to transfer their sympathies from the groom and his trouble to their own pockets and their horse's welfare.

The apathy which prevails upon this subject, and checks any thing like energetic and well-directed efforts towards amending the treatment of the horse, is attributable to the false notion, which is too commonly entertained, that if a horse performs his work moderately well for five or six years, he has done all that could reasonably have been expected from him; and therefore, as the phrase goes, "he owes his master nothing." It is quite true that five or six years' labor is an ample return for the treatment received by *most* horses; but when they have been the subjects of judicious management, double the length of service may fairly be expected from them,—indeed, any thing short of that period should be considered as leaving them their master's debtor.

A favorite argument with that numerous class, who are contented to follow in the track of their neighbors, is—that horses have always been kept in stalls: therefore, say they, it cannot hurt them. This is very like the argument about skinning eels. Custom may proclaim them to be used to it; but each individual experiences the selfsame torture as its predecessor, whether it be the eel deprived of its skin, or the horse of the soundness of its foot. Unluckily, the progress of disease in the horse's foot is, for the most part, so gradual, as to escape the notice of common observers almost entirely, until it is forced upon their attention in the form of palpable lameness, when the real cause is naturally enough overlooked in the desire to fix it upon some recent occurrence. If the advocates for continuing the use of stalls will

inquire among horse-masters in general, whether they have ever been obliged to part with a horse for lameness, the cause of which they could never distinctly trace; the answer they will assuredly obtain, coupled with the foregoing observations, I will venture to hope, may lead some of them, at least, to suspect that the time-honored stall may very fairly be charged with a considerable share in the mischief.

The real fact is, that nothing short of a miracle can save a horse, which is habitually confined day after day to one spot, from most destructive changes in the delicate and complicated mechanism of the foot. The greatest amount of care and attention that we can bestow upon the form and fastening of the shoe, will avail him little, if the foot to which it is attached be not permitted to move. Frequent and regular motion is *absolutely essential* to a sound and healthy condition of the horse's foot; and any expectation of retaining *perfectly sound feet* with stalls and rack-chains involves an impossibility, and never will be realized.

It is sometimes alleged as an objection to loose boxes, that they offer great facilities to gross-feeding horses to eat their beds; but as this evil naturally suggests its own remedy, I should not have noticed it, except for the purpose of calling attention to a particular form of muzzle that I invented some years ago, and have found to be effectual in preventing this evil, (for a very great evil it unquestionably is,) while it secures to the poor beast his free breathing.*

The two muzzles in common use are extremely inconvenient and objectionable. A horse soon learns to eat through the open one; while the closed one, usually called a setting muzzle, is so insufferably hot and suffocating to wear, that it amounts in fact to an instrument of torture.

Having said thus much about keeping the feet in a sound and healthy condition, it may be well to inquire what precise meaning attaches to the expression "sound feet," as it is met with in common use; because perhaps there is no word in the English language which, in its true and legitimate signification *implies so much*, and in its almost universal acceptance *means so little*, as the word *sound*, when applied to horses' feet. The great latitude extended to the meaning of words in horse-dealing transactions has shorn the one in question of every attribute which gave it value, and has reduced it to a miserable cheat, conveying no other guarantee than that

* Pages 65, 66, figs. 19 and 20.

the horse is not palpably lame in *one foot only*; for if he should chance to be lame in both fore feet, the pain of allowing the weight to rest upon either will cause him to pass it as quickly as possible from one to the other, and not only save him from condemnation, but most probably gain for him the reputation of being a quick stepper.

The truth is, that a foot afflicted with inflammation and pain sufficient to deter a horse from bearing a fair share of his weight upon it, cannot be considered to be in a sound condition; and so long as the disability continues, so long is the foot unsound. The various degrees of "*pointing*," ranging between the occasional partial withholding of the weight from the heel without advancing the foot—perceptible only to the most practised eye,—and the habitual thrusting out of the whole leg to the front—palpable to every beholder,—are so many indications of pain in the foot; the intensity of the pain being marked by the degree of pointing: and in spite of the determination to consider them as mere variations of a trick, they are unequivocal symptoms of unsound feet. The horse is far too wise an animal ever to inconvenience his whole frame, merely to gratify a particular trick; and I take it, his reason for pointing will be found, upon investigation, to have much more to do with a desire to relieve himself from pain than an inclination to indulge a caprice. The act of pointing calls upon him to withdraw half the support from half of the base on which his body stands, and that too at a part where it can least be spared,—where his head and neck overhang it, and tend to throw a great increase of weight very unevenly upon the remaining support; thus forcing him to equalize the pressure as soon as he can, by dividing it between the remaining support and the leg of the opposite side behind. Experience has taught him that this is best effected by adjusting the balance, before the removal of the suffering foot from the ground; and we accordingly observe him commencing the process by withdrawing the support of the hind leg, and then, having arranged the balance to his mind, he raises the foot intended to be rested, and carrying it forward, deposits it at such a distance from the base as shall ensure to it perfect exemption from sustaining any of the weight. We can readily imagine that an animal formed to stand upon four legs, would find it an irksome business to support himself for any length of time upon two: and so in practice the horse finds it to be; for his muscles soon become weary of their increased work, and he is driven

to seek relief from the new pain by a change of position, which again calls forth the old one,—and thus the poor beast is doomed to a perpetual alternation of painful sensations. His courage enables him to bear a great deal of pain without flinching, particularly when it increases upon him in the stealthy manner that usually marks the course of unsoundness in the feet. There is, however, a point beyond which his endurance cannot be stretched, and the progressive nature of unsoundness is sure in the end to find it out; and although he may contrive, by shortening his step and striking the ground less forcibly with his feet, to put off the discovery, and may continue to work upon very unsound feet even for years, still he is at last compelled to yield. Sinking his head and neck at every step, to remove their weight from the foot at the moment it meets the ground, he declares by signs no longer to be mistaken that he is decidedly lame; and this, in all probability, is the first intimation which the master receives of any thing being amiss with his horse's foot. He then, in his innocent astonishment, begins recalling to mind the events of the last few days, vainly hoping to find in them the cause of this unlooked-for calamity.

Few circumstances appear to arouse a horse-master's indignation so much as an imputation upon the soundness of his horse's feet; but surely this extreme sensitiveness is not very philosophical, where the tendency of the whole treatment of the animal is to make them unsound. It would be more rational to admit the unsoundness, and adopt measures for removing it, than to deny its existence, and persevere in the treatment that caused it.

A horse in work with perfectly sound feet is of much rarer occurrence than is generally supposed; but, fortunately, perfect soundness of foot is not absolutely essential even to the performance of a vast deal of work, in what is called very good style, as is proved by the feet of a great majority of the horses that perform wonderful tasks to the entire satisfaction of their masters: it is nevertheless a very desirable attribute, and will amply repay any trouble that we may take to ensure it, not only in the extent to which it prolongs the horse's usefulness, but also in the free, willing, and agreeable manner in which his work is done,—carrying conviction on the face of it that it is unaccompanied by pain.

The influence of regular daily exercise upon the health and well-being of the horse is generally much too lightly esteemed both by masters and grooms,—who seem for the most

part agreed that there is no great harm in a horse remaining in the stable for two or three days in succession without exercise, provided that his legs do not swell; but I trust that I shall have prepared many of my readers to believe with me, that it is far otherwise than indifferent to him whether he be imprisoned day after day, with the elastic machinery of his foot wasting and decaying from want of use, or be afforded the opportunity of keeping it in vigorous and healthy repair by due employment out of the stable for three or four hours every day.

It would be almost impossible to overrate the value of daily long-continued walking exercise to the health, condition, soundness of feet, and general usefulness of the horse; and whoever habitually deprives him of these blessings, merely to save himself a little trouble, inflicts a cruel and lasting injury upon a generous and unoffending animal, and is unworthy to be intrusted with the care of him. Old horses require less exercise than young ones; but as the quantity usually allotted to horses of every age falls short of the portion necessary for the very oldest, there is little apprehension of any receiving too much. The perfect allowance for horses in health, of from five to fifteen years of age, would be four hours a day—two in the early morning, and two in the afternoon: but as it requires an extensive stable establishment to carry this plan into effect, especially where there are many horses kept, it will be more to our purpose to consider the *smallest possible quantity* with which we can hope to keep our horses' feet in a sound and healthy condition. This I should put at two hours a day,—and a pitiful allowance it undoubtedly is in a case where nature has dictated almost constant movement: but so niggardly are horse-masters in general of this most essential requisite, that they will scarcely ever allow their horses more than from half to three-fourths of an hour daily;—and we find men, who are profuse in the expensive luxuries of excessive feeding, clothing, and pampering, turn wonderful economists in the inexpensive necessities of air and exercise. Trotting a horse to and fro upon a hard road for half an hour, just to stretch his limbs and keep them from swelling, is too frequently considered to be fully sufficient exercise for the day:—and I verily believe, if men could ride better, and horses' legs did not swell from long-continued confinement, many horses would never be exercised at all beyond their positive work:—but most men are very sensitive about the slightest appearance of swelling in their

horse's legs ;—and nature has implanted in most horses such a lively mode of expressing their joy at the change from the close atmosphere of the stable to the freshness of the open air, that a kind of compact seems formed between pride and fear, to extort for the poor beast at least sufficient exercise to keep his legs fine and his exuberant spirits within *ridable bounds*.

The only other subject requiring especial notice, is the treatment of the foot in the stable,—the directions for which are few and simple. The horny crust has a great tendency in almost all feet to become dry and brittle, and to lose its elasticity, which disposes it to curl inwards upon the internal parts of the foot. This we should endeavor to prevent, as much as possible ; and the best applications for that purpose are grease and moisture : I name them in conjunction, because I think they should always be employed together, that is, the use of grease should always precede the application of moisture. The latter will keep the horn soft and pliable during the continuance of its application to the hoof ; but it is no sooner discontinued, than evaporation takes place, and the horn becomes as hard and brittle as before : whereas, if the hoof be well rubbed with some greasy mixture, so as to fill the small spaces between the fibres of the horn, before the damp is applied, the hoof will derive the full benefit of the cold, and be left, when the evaporation is over, in a tough and pliable condition.

The following ointment will be found to answer the purpose admirably, and, if it be freely used to the hoof every night and morning, will keep it in an elastic healthy state. To a pound and a half of lard add a quarter of a pound of tar, a quarter of a pound of honey, and a quarter of a pound of beeswax : melt the lard and beeswax together, and stir in the tar and honey, and if, when cold, it should be too hard, remelt it and add a little olive-oil.

Whenever there is heat in the foot, the use of cold water for two or three hours at a time is often very serviceable, and the best mode of applying it is to place three or four thicknesses of horse clothing together of nearly the depth of the hoof, and having sewn the top edges together, attach a small buckle and strap, and fasten it loosely around the pastern joint above the hoof : plunge the foot into a bucket of water, and keep it there until the cloth is thoroughly saturated with wet ; then remove the bucket, and allow the wet cloth to remain on, rewetting it occasionally. This should never be done when the horse's foot is heated from recent exercise,

as the sudden chill at such a time would most likely bring on fever of the feet. The early morning suggests itself as the fitting time for the employment of this remedy, when the horse is nearly certain of having been at rest for many hours.

Stopping the feet at night is a very beneficial custom; and fresh cow-dung is perhaps as good a thing as can be employed for the purpose; it retains its moisture longer than clay, which is often used, and when dry is less hard to the feet. The space within the shoe, between the sole and the ground, being thus filled with an elastic mass, affords an even support to the whole under-surface of the sole, resembling in some degree what the unshod foot receives from soft ground; and I believe the foot derives as much benefit from this slight, but even support, while the horse is at rest, as it does from the softening effect of the moisture upon the horn. The fear of causing thrushes by the frequent use of wet stopping is very much exaggerated; for where the disease is produced by moisture once, it is produced by bad shoeing a thousand times: indeed, it is one of the commonest effects of the restraint to the foot of bad shoeing, and never occurs, under any circumstances, where the foot is left free to expand by good shoeing. The surest and never-failing cure for thrushes, is "one-sided nailing,"—in other words, permitting the foot to expand. I have cured two bad cases of thrushes of long duration, by making the horses stand for four months upon wet sawdust without shoes. The sawdust was not merely damp, but saturated with water;—and the horses remained upon it all day, but were removed at night into a dry place to sleep. Neither the long-continued application of excessive moisture nor the gloomy predictions of friends could prevent the thrushes from getting well, when the foot was thus permitted to expand freely to the weight of the horse.

I may observe here, that this kind of treatment is far preferable to turning horses out either to grass or straw-yard, and should always be substituted for it, whenever from any cause they may require rest.

Of course the continued use of wet sawdust will only be needed where the feet are much amiss; but I believe that every horse which is laid up with a view of obtaining perfect rest for him, will be benefited by standing without shoes upon it for two or three hours out of every twenty-four;—unless, indeed, he should happen to have weak flat feet; in which case I would shoe him with leather. The soles of such feet being, for the most part, already too thin, would be rendered

less able to resist the weight from above by the softening effect of immediate contact with so much moisture ; I would not, however, on that account deprive the remainder of the foot of the benefit to be derived from it.

The advantages of a loose place over turning out are too numerous to be enlarged upon in a work of this kind ; I may, however, mention a few of the most prominent ; the chief of which, as regards our object of obtaining entire rest, is the insurmountable obstacle thus placed in the way of the violent galloping, which horses, from various causes, are apt to indulge in when at grass : it also prevents the incessant stamping consequent upon the insufferable teasing of flies ; and it offers the further advantage of enabling us to regulate the food, both as to quantity and quality,—a matter deserving much more consideration than is usually bestowed upon it.

In conclusion, I will beg to offer a few remarks upon the false estimate usually made of the value of a warranty. A general warranty, as regards the soundness of the horse, is valueless ; for, if he be unsound, it cannot make him otherwise. Its only worth, therefore, when stripped of its supposed mysterious, charm-like influence over his state, consists in the authority with which it invests the buyer to proceed against the seller in a court of law, qualifying him to expend many times the amount of the purchase-money, to prove that he has been either wilfully or ignorantly deceived. Now, instead of placing implicit confidence in such an instrument as this, or resting satisfied under its protection, it would be much wiser, upon making a fresh purchase, in addition to the warranty, to have the horse examined by a veterinary surgeon, who will at once detect any *palpable* defects that may present themselves ; and then, being armed with the general warranty on the one hand, and the veterinary surgeon's certificate on the other, to set steadily and perseveringly to work, by good shoeing, a loose box, and plenty of exercise, to endeavor to *make* him sound.

FIGURES I. AND II.

Figs. 1 and 2 represent the left or near fore foot of a pony five years old, which was destroyed in consequence of an accident. It had been but a few times shod, and is a very good example of what may be called a perfect foot.—I have carefully preserved the relative position of the various parts to each other.

Fig. 1.




Fig. 1—Shows the ground surface of the hoof prepared for receiving a shoe; and marks very distinctly the difference between the curvature of the outer and inner quarters.

a The toe—rasped away to receive the turned-up shoe.

a 1. The *inner* toe.

a 2. The *outer* toe.

b 1. The *inner* quarter.

b 2. The *outer* quarter.

c 1. The *inner* heel.

c 2. The *outer* heel.

d d d. The sole.

e e. The crust or wall of the hoof.

f f. The bars.

g g. The commissures.

h k l. The frog.

h. The part immediately under the navicular joint.

k. The oval cleft of the frog.

l. The elevated boundary of the cleft.

i i. The bulbs of the heels.

Fig 2.





Fig. 2—Shows the outer side of the same foot with a shoe attached :—It also partially shows the interior of the hoof, which is more fully represented in Figs. 21, 22, and 23.

- a.* The toe of the shoe turned up out of the line of wear.
- b b.* The shoe represented of the same thickness from toe to heel.
- c.* The clinches.
- d.* The hollow for receiving the coronary substance, which secretes the horn.
- e.* The thin horny plates that line the wall of the hoof.

FIGURES III., IV., V., AND VI.

Figs. 3, 4, 5, and 6, represent the detached bones of the foot, and also a section of the foot, exhibiting at one view the relative position of all its parts in the way of a map: the former I drew from the bones of the foot represented in Figs. 1 and 2,—and the latter from the foot of a young thorough-bred horse, rising four years old, in which shoeing and stabling had not had time to produce any material changes.

Fig. 3.



g. 3.—The coronet bone.

- a. The under surface, which forms part of the coffin joint.
- b. The upper surface, which forms part of the pastern joint.
- c. Roughened surfaces for the insertion of muscles.

Fig. 4.



Fig. 4.—The coffin bone.

- a. The toe ;—showing its elevation from the ground line of the sides of the bone, as also its notched appearance.
- b b. The wings.
- c c. Holes for the passage of the arteries, which supply the sensible covering of the bone and the bone itself with blood.
- d d. Surfaces, which form part of the coffin joint.
- e. The body of the bone much roughened for the attachment of the sensible laminæ, and thickly studded with holes for the passage of blood-vessels.

Fig. 5.



Fig. 5.—Two views of the navicular bone.

- a.* The under surface.
 - 1. The surface which forms—with the tendon passing under t—the navicular joint.
 - 2. A roughened surface for the insertion of a tendon.
- b.* The upper surface.
 - 1. The surface by which the navicular bone is joined to the coffin bone.
 - 2. The surface which forms part of the coffin joint.
 - 3. A deeply roughened surface for the attachment of the strong ligament that binds the navicular to the coffin bone.

Fig. 6




Fig. 6.—A section of the foot.

- 1. The coronet bone.
- 2. The coffin bone.
- 3. The navicular bone.
- d d.* The frog.
- e e.* The fatty frog or elastic cushion.
- f.* The sensitive sole.
- g.* The sensitive frog.
- h h h.* Tendons of the muscles which bend the foot.
- i.* Part of the pastern bone.
- k k.* Tendons of the muscles which extend the foot.
- l.* The coffin joint.
- m.* The navicular joint.
- n.* The coronary substance.
- o.* The sensible laminae, or covering of the coffin bone.
- a.* The wall.
- b.* The sole.
- c.* The cleft of the frog.

FIGURES VII. AND VIII.

Figs. 7 and 8 represent the upper and under surfaces of a near fore shoe: I have drawn them after the manner of a plan, fearing that a perspective representation of thickness might possibly mislead.

Fig. 7.




Fig. 7—Shows the upper or foot surface.

- a.* The clip at the toe.
- a. 1.* The *outer* toe.
- a. 2.* The *inner* toe.
- b. 1.* The *outer* quarter.
- b. 2.* The *inner* quarter.
- c. 1.* The *outer* heel.
- c. 2.* The *inner* heel.
- d d.* The seating.
- e e.* The even surface for the crust to bear upon
- f f.* The nail-holes.

Fig. 8.




Fig 8—Shows the under or ground surface.

- a.* The toe turned up out of the line of wear.
- a 1.* The *outer* toe.
- a 2.* The *inner* toe.
- b 1.* The *outer* quarter.
- b 2.* The *inner* quarter
- c 1.* The *outer* heel.
- c 2.* The *inner* heel.
- d d.* The web.
- e e.* The fullering.
- f f.* The nail-holes.

FIGURES IX. AND X.

Figs. 9 and 10 represent a near fore foot, shod on the objectionable plan of having the shoe "well set off at the heels."

Fig. 9.




Fig. 9—Shows this mode of shoeing, as it is usually practised ;—with the web at the heels only about half as wide as at the toe ; the heels so far separated, as to deprive the important parts lying between them of all protection ; and the shoe held on by seven nails, placed principally in the quarters.

Fig. 10.




Fig. 10—Represents the same foot with the shoe rendered transparent,—showing the very small and unimportant portion that receives protection, compared with the large and important portion which is left exposed to all kinds of injury.

- a a a.* The crust seen through the shoe.
- b b.* The bars completely exposed.
- c c* The outer edge of the crust, bearing upon the inner edge of the shoe.
- d.* The situation of corns entirely unprotected.

It will be observed that the heels of the shoe afford neither support nor protection to any part of the foot; and that, if the inner side from just above where the asterisk or star is placed, back to the heel, be left thus projecting, the horse will be very apt, in passing over rough ground, to place the other foot upon the projection, and tear off the shoe.—The edge of the shoe should everywhere correspond to the edge of the crust.

FIGURES XI. AND XII.

Figs. 11 and 12 represent the same foot as Figs. 9 and 10, but shod upon a plan which interferes less with the natural action of the various parts of the foot, than any other that has ever been suggested, and therefore most strenuously to be recommended.

Fig. 11.




Fig. 11—Shows a shoe so applied: the web at the heels is as wide as at the toe:—the heels are brought in, so as just to clear the frog, and defend the foot, as much as possible, against injury:—the toe is turned up out of the line of wear:—the fullering is carried back to the heels, and the nails placed four in the outer, and two in the inner side of the shoe. —I carry the system a little further with my own horses; and omit the second nail on the inner side,—employing only five altogether.

Fig. 12.




Fig. 12—Represents the same foot with the shoe rendered transparent showing what parts of the foot are covered and protected by being in the heels of the shoe

- a a a.* The crust, with the shoe closely fitted all round.
- b b.* The bars, protected by the shoe.
- c c.* The heels, supported by the shoe.
- d.* The situation of corns protected from injury.

If we compare Fig. 12 with Fig. 10 we shall be struck with the disproportion in the utility of the two shoes, as deficiencies for the horse's foot.

In the one just described every atom of the shoe is made available for support or protection ; while in the other a very considerable portion is not only utterly wasted, by being thrust out beyond the hoof, but is actually converted into a source of evil,—receiving on the inner side the occasional tread of the other foot,—on the outer, that of another horse,—and on both, resistance to the withdrawal of the foot out of stiff ground, thereby risking the shoe being dragged off ; for when the shoe projects beyond the crust it makes an opening larger than the foot can fill, and the clay curling over the ledges which are formed by the projecting portions of the shoe, offers a resistance to its return exactly proportioned to the depth to which it may have sunk into the ground : but where the shoe has been accurately fitted, the weight of the horse expanding the foot while it is still in the ground en

larges the hole, and make a free passage for the return of the shoe.

Again—on comparing the parts marked *b. c. d.* in both feet with each other, we shall find them in one, defenceless and exposed; while in the other they are securely sheltered by a bar of iron,—which bar of iron, by its near approach to its neighbor, often saves the foot from alighting upon a stone with a violence that would thrill through horse and rider.

FIGURES XIII. AND XIV.

Figs. 13 and 14 represent two near fore shoes, removed from the same horse at different times:—the first, which is full of defects, was replaced by the second, which is entirely free from them.

Fig. 13.




Fig. 13—Is the portrait of as faulty a shoe as could be met with,—whose glaring defects we will endeavor to turn to a useful account by considering them first in detail, and then in comparison with Fig. 14, where they have been corrected.

- a a.* The heels,—showing that the shoe becomes thicker and thicker, as it proceeds backwards, until it forms a perfect wedge, the base of which is fully double the thickness of any other part of the shoe.
- b b.* Show the marks of the crust, bearing upon the shoe; and prove, by the absence of a defined termination, that the shoe was too short for the foot, and had not reached to the heels of the hoof.
- c c.* The seating,—discontinued just where its presence was most required, and a mass of iron left to project into the angles at the heels, where pressure should be particularly avoided, as conducing to corns.
- d.* Four of the nail-holes, punched entirely in the seating, instead of in the flat surface around the shoe.
- e.* The last nail-hole on the inner side, placed so far back in the quarter as to prevent the possibility of the foot expanding.

Fig. 14.





Fig 14—Is the portrait of the shoe which replaced Fig. 13.

- a a.* The heels of an even thickness with the rest of the shoe
- b b.* Show the points at which the heels of the hoof terminated : they are however better shown in Figs. 15 and 16.
- c c.* The seating carried back, so as to clear the angles at the heels, and leave the seat of corns free from pressure.
- d.* The nail-holes placed in the flat surface which supports the crust, where they should always be.
- e.* The hindermost nail of the inner side at the inner toe, whereby the whole of the quarter and heel are left free to expand.

FIGURES XV. AND XVI.

I consider myself particularly fortunate in having obtained the shoe from which Fig. 15 in this and Fig. 13 in page 58 have been drawn ; seeing that it presents an illustration of nearly every defect a shoe could possess, without one redeeming quality to recommend it. I have been tempted to add another view of it, because it enables me to show some of these defects to greater advantage than I could contrive to do in Figs. 13 and 14.

Fig. 15.




- Fig. 15—***a.* The thick wedge-shaped objectionable heel.
b. The mark made by the bearing of the crust, showing that the shoe had not extended far enough back to support the heel.
c. The termination of the seating, and commencement of the mischievous projection of iron.
d. The nail-holes punched in the seating, where they ought not to be.
e. The flat surface, whereon the crust ought to have had an even bearing all round the shoe, and in which the nail-holes should have been punched : we shall, however, find, upon comparing this surface with the width of the marks of the crust at *b*, that it is everywhere narrower than the crust to be supported by it ; so that the whole weight of the horse must have been sustained by the outer half only

of the crust; the inconvenience of which would be greatly aggravated by the four holes of the outer side being placed in the seating, causing a considerable strain upon the nails, whenever the weight was thrown upon the outside of the foot, as it would be in turning to the left.

ff. The seating, everywhere overdone, excepting at the heels, where it was most wanted; and there it is discontinued altogether. When a shoe is too much hollowed by seating, it defeats its own object by leaving space enough for a body of dirt, or even small stones, to work in and become imbedded between the foot and the shoe, resisting the descent of the sole as effectually as an unseated shoe would do. Sufficient space to admit the point of a picker to pass freely all around between the shoe and the foot, is all that is necessary.

The web of the shoe, it will be observed, is just twice as wide at the toe, where the cover might well have been spared, as it is at the heels, where protection was most desirable.

Fig. 16.



- Fig. 16—*a.* The heel of an even thickness with the rest of the shoe.
b. The mark of the crust with the termination well defined, showing that the heel had been supported.
c. The seating carried through to the heel.
ff. The seating less hollowed than in Fig. 15, and the web of equal width at the toe and heel.

The shoe Fig. 15, I found on the foot of a horse which I purchased for a friend about two years ago; and it is worthy of remark, that it was placed there by a smith who enjoys,

in a very extensive district, the reputation of being a particularly good shoer. If gentlemen could only be persuaded to inform themselves sufficiently to give their directions with the confidence that a knowledge of the subject is sure to engender, and to *know*, when the work is finished, whether those directions have been complied with, they would drive such men as these from their lamentable ignorance of the first principles of their art into something like a rational view of the subject: but where gentlemen are contented to remain without knowledge, smiths may be excused for not informing themselves.

FIGURES XVII. AND XVIII.

Figs. 17 and 18 represent the plan upon which I have lately converted a four-stalled stable into three loose boxes; and show that the space gained for the use and comfort of the horses is considerably more than doubled.

Fig. 17.




Fig 17—Shows the space as originally laid out for a four-stalled stable.

- a. The manger in each stall.
- b. The stalls.
- c. The heel-posts.
- d. Part of the saddle-room.
- e. The door-way from the saddle-room to the stable.
- f. The door opening towards the stable.
- g. The entrance to the stable.
- h. The stable door opening from right to left.

Fig. 18.




Fig. 18—Shows the same space turned to the best account for the horses.

- a. The manger undisturbed.
- b. The boxes.
- c 1. The original partitions and heel-posts of the stalls shifted bodily.
- c 2. The additional heel-posts: the upper part of the partition extending from c. 1, to c. 2 in each box, is composed of iron railing, which enables the horses to see each other.
- d. Part of the saddle-room.
- e. The position of the door-way changed, so as to prevent the loss of space occasioned by the door opening towards the stable.
- f. The door opening back into the saddle-room, where it is out of the way.
- g. The entrance to the stable.
- h. The stable door hung to the opposite post, by which arrangement whenever it is opened it is made to close the entrance to the saddle-room, and prevent the possibility of the horses passing into it instead of the boxes.
- i. The door of the box, opening inwards so as to place it out of the way.
- k & l. The doors of the other two boxes, opening outwards so as to meet, and enclose a space behind them.
- m. The space so enclosed, receiving two buckets, a shovel, broom, dung-fork, and basket.
- n. The two buckets, and above them a seat, which acts as a shelf to deposite any thing upon.

By this disposition of the space the horses receive the full benefit of every available atom of it, and instead of there being a waste of 23 feet 8 inches by 9 feet 5 inches, there is positively none at all; for the 8 feet by 5 feet 3 inches, un-

appropriated to the use of the horses, is not more than is required for a free passage into the boxes, and the reception of the necessary stable implements. The doors which in Fig. 17 entail a waste of half a large circle of space in the opening and shutting, are so arranged as only to traverse the space necessary for the passage; and when open, to form sides to it, and become useful in directing the horses in and out of their respective boxes.

FIGURES XIX. AND XX.

Figs. 19 and 20 represent the muzzle mentioned at page 40.

Fig. 19.




Fig 19.—Shows it in its position upon the horse's head.

- a 3. Mark the width of the opening—which should be determined by the distance from the nose to the jaw-bone, at about two or three inches above the angle of the mouth. It is not necessary that the head should go deeper into it than this, but it is *essential* that the bottom of the muzzle should hang fully three inches below the lips, as shown at c, because the horse is thus obliged fairly to deposite the muzzle before he can be able to reach the bottom of it with his lips; in doing which, the weight of the muzzle, and the

pressure thus made upon it, will effectually flatten the straw out of his reach, and by disappointing his hopes, soon cause him to discontinue his fruitless efforts. But if the bottom of the muzzle be brought tight up against the lips, the head and the muzzle will act together, and the horse will eat just as much of his bed as he pleases. Its whole utility depends upon the horse's nose being so free of the muzzle, that he shall not be able to reach any part of it with his lips, without *putting it down*, when he instantly defeats his object.

Fig. 20.




Fig 20—Shows the detail of the muzzle.

- a a.* The upper rim, made of iron.
- b b.* The lower rim, made of iron.
- c c c c.* Four iron uprights connecting the upper and lower rims, and riveted to them.
- d.* An iron stay running across the bottom from front to rear.
- e.* A cross-piece of iron riveted at the centre at *d*: the arms curving upwards are each riveted to one of the uprights, *c*, by which much additional strength is obtained, and the difficulty of feeding through the open spaces greatly increased.
- f.* Shows one of the long wires coming through the upper rim, whence it passes straight down to *g*, through the lower rim, across the bottom to *h*, where it again passes through the lower rim on the opposite side, and is carried up to the upper rim; and is riveted through it at *i*. It is tied to the centre band of wire where it crosses it on either side.

This description applies to each of the long wires, as does the following to the short ones.

- k.* Shows one of the short wires commencing with a turn round the centre band of wire, and descending to the lower rim, through which it passes to be riveted on the inner side.
- m.* Portions of the head-stall, with the mode of fastening them to the muzzle.
- n n.* A pad to protect the horse's nose from the rim of the muzzle. It should be hollowed in the centre so as to prevent the weight resting entirely upon the bone.

It has been suggested to me that a similar pad at the back part, to protect the jaw-bone, would be an improvement.

The frame-work should be formed of flat iron, three-eighths of an inch wide, and one-sixteenth of an inch thick ; and the wire—tinned iron of the size known as No. 11.

FIGURES XXI., XXII., AND XXIII.

Fig. 21.




Fig. 22.





Fig. 23.



FIGS. 21, 22, AND 23.—I have been induced to add these figures in consequence of meeting with the foot represented in Fig. 21. It presents such an admirable illustration of the effect of shoeing and stabling upon the frog and elastic cushion, that I could not resist the impulse to draw it and place it by the side of the young foot, already represented by Fig. 6; and having done so, I was further led to add a sketch of the interior of the hoof, in the hope that bringing the three figures under notice at one view, might enable me to point out more clearly what changes have taken place, and how they have been brought about. Upon a careful comparison of Fig. 21 with Fig. 22, we shall be struck among other things with the great difference observable in the bulk of the elastic cushion or fatty frog in the two feet—both in the heel at *b*, and in the portion immediately between the navicular joint and the horny frog at *e*. I found, however, a difference in the *quality* or texture of this part in the two feet of far greater importance than any diminution of *quantity*,—for while Fig. 22 presented a substance resembling throughout its whole extent a mixture of fat and tendon, and yielded to pressure from the point of a knife without being pierced by it—that is, sunk away before it—the corresponding part in Fig. 21, was of a close unyielding texture, offering the resistance of firm gristle, and, instead of sinking away from the point of the knife, resisted it with a grating sound: indeed I could perceive no difference between the sound produced by passing the point of the knife over this substance and over the horny frog. I have attempted to mark where the change of structure commences by a variation in the touch upon the figure, by which it will be seen that the *texture* of the substance at *b* is pretty much the same in each foot, notwithstanding the great disproportion between their respective *quantities*. In Fig. 21, where it has suffered under bad treatment, and is wasted and dwindled to almost nothing, it soon assumes a close firm texture as it descends from *b* towards *e*—until (all its soft parts having been absorbed) it terminates in the hard mass marked in the figure by checkered lines.

If we now turn to Fig. 23, and with its assistance contemplate this part in its situation in the hoof, we shall obtain a clear idea of the relation it bears to the other parts of the foot in general, and the navicular joint in particular.

- a*. Is a broad flat mass of horn, projecting upwards into the middle of the elastic cushion, and is called the “frog stay.”
- b b*. Are two horny projections rising into the cavity of the hoof

formed by the commissures.—They each, at *b*, support the part marked *b* in Figs. 21 and 22.

- c c*. Are portions of the same projections, and are situated just under the two ends of the navicular bone, and mark the point on either side where diminution in the natural elasticity of the fatty frog would be felt with the greatest severity by the navicular joint: for under the most favorable circumstances, the quantity of cushion between these points and the navicular joint cannot be very large; and hence the importance of our doing all we can to preserve its elasticity as long as possible.

Figs. 21 and 22, being sections of the foot, are calculated to impart a false idea of the extent of protection afforded to the navicular joint by the elastic cushion, if they are not considered in conjunction with Fig. 23; for the cushion, being cut through at the part occupying the hollow between *c c*. and *d*, which is its deepest part, would lead to the conclusion that the same quantity of protection was extended to the whole of the joint, if we did not observe that the projections of the commissures *c c*, Fig. 23, lie nearly on a level with the top of the frog stay, *a*, showing that there is not space for an equal quantity of cushion between them and the navicular joint, as there is between the navicular joint and the bottom of the hollow at *d*;—and it is evident, that if the cushion at these places be not kept in a sufficiently elastic condition to guard the delicate membranes of this important joint from the consequences of being compressed between the navicular bone and these horny projections, injury to the joint must ensue, and unsoundness of the foot become inevitable.

Having seen the changes that have occurred to the fatty frog of Fig. 21, we shall naturally be led to inquire if the sensitive frog has fared any better; to which end we must first examine it in Fig. 22, where we shall find it distinctly marked at *g*, and by tracing it over the frog stay, *a*, we shall see that it extends over the whole surface of the horny frog, between it and the fatty frog: but we shall in vain look for it in Fig. 21; the constantly increasing compression it has received, between the gradually hardening cushion, and the horny frog, has by degrees so effectually caused its absorption, that not a vestige of it remains—as is shown by *g*, Fig. 21.

The diminution that has taken place in the horny frog of Fig. 21 will be made sufficiently evident by a comparison of the parts marked *d* and *f*, with the same parts in Fig. 22.

All the Books on this Catalogue sent by mail, to any part of the Union, free of postage, upon receipt of Price.

CATALOGUE OF BOOKS ON AGRICULTURE AND HORTICULTURE,

PUBLISHED BY

A. O. MOORE,

(LATE C. M. SAXTON & COMPANY,)

No. 140 FULTON STREET, NEW YORK,

SUITABLE FOR

SCHOOL, TOWN, AGRICULTURAL, AND PRIVATE LIBRARIES.

THE AMERICAN FARMER'S ENCYCLOPEDIA, - - - \$4 00

EMBRACING ALL THE RECENT DISCOVERIES IN AGRICULTURAL CHEMISTRY, and the use of Mineral, Vegetable and Animal Manures, with Descriptions and Figures of American Insects injurious to Vegetation. Being a Complete Guide for the cultivation of every variety of Garden and Field Crops. Illustrated by numerous Engravings of Grasses, Grains, Animals, Implements, Insects, &c. By GOUVERNEUR EMERSON, of Pennsylvania, upon the basis of Johnson's Farmer's Encyclopedia.

DOWNING'S (A. J.) LANDSCAPE GARDENING. - - - 3 50

A TREATISE ON THE THEORY AND PRACTICE OF LANDSCAPE GARDENING. Adapted to North America, with a view to the improvement of Country Residences; comprising Historical Notices and General Principles of the Art, directions for Laying out Grounds and Arranging Plantations, the Description and Cultivation of Hardy Trees, Decorative Accompaniments to the House and Grounds, the Formation of Pieces of Artificial Waters, Flower Gardens, &c., with Remarks on Rural Architecture. Elegantly Illustrated, with a Portrait of the Author. By A. J. DOWNING.

DOWNING'S (A. J.) RURAL ESSAYS, - - - 3 00

ON HORTICULTURE, LANDSCAPE GARDENING, RURAL ARCHITECTURE, Trees, Agriculture, Fruit, with his Letters from England. Edited, with a Memoir of the Author by GEORGE WM. CURTIS, and a letter to his friends, by FREDERICK BREMER, and an elegant steel Portrait of the Author.

DADD'S ANATOMY AND PHYSIOLOGY OF THE HORSE, Plain, 2 00

Do. Do. Do. Do. Colored Plates, 4 00

WITH ANATOMICAL AND QUESTIONAL ILLUSTRATIONS; Containing, also, a Series of Examinations on Equine Anatomy and Philosophy, with Instructions in reference to Dissection, and the mode of making Anatomical Preparations; to which is added a Glossary of Veterinary Technicalities, Toxicological Chart, and Dictionary of Veterinary Science.

DADD'S MODERN HORSE DOCTOR. - - - 1 00

CONTAINING PRACTICAL OBSERVATIONS ON THE CAUSES, NATURE and Treatment of Disease and Lameness of Horses, embracing the most recent and approved methods, according to an enlightened system of veterinary therapeutics, for the preservation and restoration of health. With Illustrations.

DADD'S (GEO. H.) AMERICAN CATTLE DOCTOR, - - - \$1 00

CONTAINING THE NECESSARY INFORMATION FOR PRESERVING THE Health and Curing the Diseases of Oxen, Cows, Sheep, and Swine, with a great variety of Original Recipes and Valuable Information in reference to Farm and Dairy management, whereby every man can be his own Cattle Doctor. The principles taught in this work are, that all Medication shall be subservient to Nature—that all Medicines must be sanative in their operation, and administered with a view of aiding the vital powers, instead of depressing, as heretofore, with the lancet or by poison. By G. H. DADD, M. D., Veterinary Practitioner.

THE DOG AND GUN, - - - - - 50

A FEW LOOSE CHAPTERS ON SHOOTING, among which will be found some Anecdotes and Incidents; also, instructions for Dog Breaking, and interesting letters from Sportsmen. By A BAD SHOT.

MORGAN HORSES, - - - - - 1 00

A PREMIUM ESSAY ON THE ORIGIN, HISTORY, AND CHARACTERISTICS of this remarkable American Breed of Horses; tracing the Pedigree from the original Justin Morgan, through the most noted of his progeny, down to the present time. With numerous portraits. To which are added hints for Breeding, Breaking, and General Use and Management of Horses, with practical Directions for training them for exhibition at Agricultural Fairs. By D. C. LINSLEY.

SORGHO AND IMPHEE, THE CHINESE AND AFRICAN SUGAR CANES, - - - - - 1 00

A COMPLETE TREATISE UPON THEIR ORIGIN AND VARIETIES, CULTURE and Uses, their value as a Forage Crop, and directions for making Sugar, Molasses, Alcohol, Sparkling and Still Wines, Beer, Cider, Vinegar, Paper, Starch, and Dye Stuffs. Fully Illustrated with Drawings of Approved Machinery: With an Appendix by LEONARD WRAY, of Cafraria, and a description of his patented process of crystallizing the juice of the Imphee; with the latest American experiments, including those of 1857, in the South. By HENRY S. OLCOTT. To which are added translations of valuable French Pamphlets, received from the Hon. JOHN Y. MASON, American Minister at Paris.

THE STABLE BOOK, - - - - - 1 00

A TREATISE ON THE MANAGEMENT OF HORSES, IN RELATION TO Stabling, Grooming, Feeding, Watering and Working, Construction of Stables, Ventilation, Appendages, &c. &c. Management of the Feet, and of Diseased and Defective Horses. By JOHN STEWART, Veterinary Surgeon. With Notes and Additions, adapting it to American Food and Climate. By A. B. ALLEN, Editor of the American Agriculturist.

THE HORSE'S FOOT, AND HOW TO KEEP IT SOUND, - - - 50

WITH CUTS, ILLUSTRATING THE ANATOMY OF THE FOOT, and containing valuable Hints on Shoeing and Stable Management, in Health and in Disease. By WILLIAM MILES.

THE FRUIT GARDEN, - - - - - 1 25

A TREATISE, INTENDED TO EXPLAIN AND ILLUSTRATE THE PHYSIOLOGY of Fruit Trees, the Theory and Practice of all Operations connected with the Propagation, Transplanting, Pruning and Training of Orchard and Garden Trees, as Standards, Dwarfs, Pyramids, Espalier, &c. The Laying out and Arranging different kinds of Orchards and Gardens, the selection of suitable varieties for different purposes and localities, Gathering and Preserving Fruits, Treatment of Diseases, Destruction of Insects, Description and Uses of Implements, &c. Illustrated with upwards of 150 Figures, representing Different Parts of Trees, all Practical Operations, forms of Trees, Designs for Plantations, Implements, &c. By P. BARRY, of the Mount Hope Nurseries, Rochester, N. Y.

FIELD'S PEAR CULTURE, - - - - - 75

THE PEAR GARDEN: or, a Treatise on the Propagation and Cultivation of the Pear Tree, with Instructions for its Management from the Seedling to the Bearing Tree. By THOMAS W. FIELD.

BRIDGEMAN'S (THOS.) YOUNG GARDENER'S ASSISTANT,	\$1 50
IN THREE PARTS, Containing Catalogues of Garden and Flower Seed, with Practical Directions under each head for the Cultivation of Culinary Vegetables and Flowers. Also directions for Cultivating Fruit Trees, the Grape Vine, &c.; to which is added, a Calendar to each part, showing the work necessary to be done in the various departments each month of the year. One volume octavo.	
BRIDGEMAN'S KITCHEN GARDENER'S INSTRUCTOR,	‡ Cloth, 50
" " " " " "	Cloth, 60
BRIDGEMAN'S FLORIST'S GUIDE, - - - -	‡ Cloth, 50
" " " " " "	Cloth, 60
BRIDGEMAN'S FRUIT CULTIVATOR'S MANUAL, -	‡ Cloth, 50
" " " " " "	Cloth, 60
COLE'S AMERICAN FRUIT BOOK, - - - -	50
CONTAINING DIRECTIONS FOR RAISING, PROPAGATING AND MANAGING Fruit Trees, Shrubs and Plants; with a description of the Best Varieties of Fruit, including New and Valuable Kinds.	
COLE'S AMERICAN VETERINARIAN, - - - -	50
CONTAINING DISEASES OF DOMESTIC ANIMALS, THEIR CAUSES, Symptoms and Remedies; with Rules for Restoring and Preserving Health by good management; also for Training and Breeding.	
SCHENCK'S GARDENER'S TEXT BOOK, - - - -	50
CONTAINING DIRECTIONS FOR THE FORMATION AND MANAGEMENT of the Kitchen Garden, the Culture and Use of Vegetables, Fruits and Medicinal Herbs.	
AMERICAN ARCHITECT, - - - -	6 00
THE AMERICAN ARCHITECT, Comprising original Designs of Cheap Country and Village Residences, with Details, Specifications, Plans and Directions, and an Estimate of the Cost of Each Design. By JOHN W. RITCH, Architect. First and Second Series, 4to, bound in 1 vol.	
BUIST'S (ROBERT) AMERICAN FLOWER GARDEN DIRECTORY, 1 25	
CONTAINING PRACTICAL DIRECTIONS FOR THE CULTURE OF PLANTS, in the Flower-Garden, Hot-House, Green-House, Rooms or Parlor Windows, for every Month in the Year; with a Description of the Plants most desirable in each, the nature of the Soil and Situation best adapted to their Growth, the Proper Season for Transplanting, &c.; with Instructions for Erecting a Hot-House, Green-House, and Laying out a Flower Garden; the whole adapted to either Large or Small Gardens, with Instructions for Preparing the Soil, Propagating, Planting, Pruning, Training and Fruiting the Grape Vine.	
THE AMERICAN BIRD FANCIER, - - - -	
CONSIDERED WITH REFERENCE TO THE BREEDING, REARING, FEEDING, Management and Peculiarities of Cage and House Birds. Illustrated with Engravings. By D. JAY BROWNE.	
REEMELIN'S (CHAS.) VINE DRESSER'S MANUAL, - -	50
AN ILLUSTRATED TREATISE ON VINEYARDS AND WINE-MAKING, containing Full Instructions as to Location and Soil, Preparation of Ground, Selection and Propagation of Vines, the Treatment of Young Vineyards, Trimming and Training the Vines, Manures, and the Making of Wine.	
DANA'S MUCK MANUAL, FOR THE USE OF FARMERS, -	1 00
A TREATISE ON THE PHYSICAL AND CHEMICAL PROPERTIES OF Soils and Chemistry of Manures; including, also, the subject of Composts, Artificial Manures and Irrigation. A new edition, with a Chapter on Bones and Superphosphates.	
CHEMICAL FIELD LECTURES FOR AGRICULTURISTS, -	1 00
By Dr. JULIUS ADOLPHUS STOCKHARDT, Professor in the Royal Academy of Agriculture at Tharant. Translated from the German. Edited, with notes, by JAM S E. TECEMACHER.	

- BUIST'S (REPORT) FAMILY KITCHEN GARDENER,** - - - \$0 75
CONTAINING PLAIN AND ACCURATE DESCRIPTIONS OF ALL THE DIFFERENT SPECIES AND VARIETIES OF CULINARY VEGETABLES, WITH THEIR BOTANICAL, ENGLISH, FRENCH AND GERMAN NAMES, ALPHABETICALLY ARRANGED, WITH THE BEST MODE OF CULTIVATING THEM IN THE GARDEN OR UNDER GLASS; ALSO DESCRIPTIONS AND CHARACTER OF THE MOST SELECT FRUITS, THEIR MANAGEMENT, PROPAGATION, &c. By ROBERT BUIST, author of the "American Flower Garden Directory," &c.
- DOMESTIC AND ORNAMENTAL POULTRY, Plain Plates,** - 1 00
Do. Do. Do. Colored Plates, - 2 00
A TREATISE ON THE HISTORY AND MANAGEMENT OF ORNAMENTAL AND DOMESTIC POULTRY. By Rev. EDMUND SAUL DIXON, A.M., with large additions by J. J. KERR, M.D. Illustrated with sixty-five Original Portraits, engraved expressly for this work. Fourth edition revised.
- HOW TO BUILD AND VENTILATE HOT-HOUSES,** - - - 1 25
A PRACTICAL TREATISE ON THE CONSTRUCTION, HEATING AND VENTILATION OF HOT-HOUSES, INCLUDING CONSERVATORIES, GREEN-HOUSES, GRAPERIES AND OTHER KINDS OF HORTICULTURAL STRUCTURES, WITH PRACTICAL DIRECTIONS FOR THEIR MANAGEMENT, IN REGARD TO LIGHT, HEAT AND AIR. Illustrated with numerous engravings. By P. B. LEUCHARS, Garden Architect.
- CHORLTON'S GRAPE-GROWER'S GUIDE,** - - - - 60
INTENDED ESPECIALLY FOR THE AMERICAN CLIMATE. Being a Practical Treatise on the Cultivation of the Grape Vine in each department of Hot House, Cold Grapery, Retarding House and Out-door Culture. With Plans for the Construction of the Requisite Buildings, and giving the best methods for Heating the same. Every department being fully illustrated. By WILLIAM CHORLTON.
- NORTON'S (JOHN P.) ELEMENTS OF SCIENTIFIC AGRICULTURE,** 60
OR, THE CONNECTION BETWEEN SCIENCE AND THE ART OF PRACTICAL FARMING. Prize Essay of the New York State Agricultural Society. By JOHN P. NORTON, M.A., Professor of Scientific Agriculture in Yale College. Adapted to the use of Schools.
- JOHNSTON'S (J. F. W.) CATECHISM OF AGRICULTURAL CHEMISTRY AND GEOLOGY,** - - - - 25
By JAMES F. W. JOHNSTON, M.A., F.R.S.S.L and E., Honorary Member of the Royal Agricultural Society of England, and author of "Lectures on Agricultural Chemistry and Geology." With an Introduction by JOHN PITKIN NORTON, M.A., late Professor of Scientific Agriculture in Yale College. With notes and additions by the author, prepared expressly for this edition, and an Appendix compiled by the Superintendent of Education in Nova Scotia. Adapted to the use of Schools.
- JOHNSTON'S (J. F. W.) ELEMENTS OF AGRICULTURAL CHEMISTRY AND GEOLOGY,** - - - - 1 00
With a Complete Analytical and Alphabetical Index and an American Preface. By Hon. SIMON BROWN, Editor of the "New England Farmer."
- JOHNSTON'S (JAMES F. W.) AGRICULTURAL CHEMISTRY,** 1 25
LECTURES ON THE APPLICATION OF CHEMISTRY AND GEOLOGY TO AGRICULTURE. New edition, with an Appendix, containing the Author's Experiments in Practical Agriculture.
- THE COMPLETE FARMER AND AMERICAN GARDENER,** 1 25
RURAL ECONOMIST AND NEW AMERICAN GARDENER: Containing a Compendious Epitome of the most Important Branches of Agriculture and Rural Economy; with Practical Directions on the Cultivation of Fruits and Vegetables, including Landscape and Ornamental Gardening. By THOMAS G. FESSENDEN. 2 vols. in one.
- FESSENDEN'S (T. G.) AMERICAN KITCHEN GARDENER,** - 50
CONTAINING DIRECTIONS FOR THE CULTIVATION OF VEGETABLES AND Garden Fruits. Cloth.

NASH'S (J. A.) PROGRESSIVE FARMER, - - - - \$0 60

A SCIENTIFIC TREATISE ON AGRICULTURAL CHEMISTRY, THE Geology of Agriculture, on Plants and Animals, Manures and Soils, applied to Practical Agriculture; with a Catechism of Scientific and Practical Agriculture. By J. A. NASH

BRECK'S BOOK OF FLOWERS, - - - - 1 00

IN WHICH ARE DESCRIBED ALL THE VARIOUS HARDY HERBACEOUS Perennials, Annuals, Shrubs, Plants and Evergreen Trees, with Directions for their Cultivation.

SMITH'S (C. H. J.) LANDSCAPE GARDENING, PARKS AND PLEASURE GROUNDS, - - - - 1 25

WITH PRACTICAL NOTES ON COUNTRY RESIDENCES, VILLAS, PUBLIC Parks and Gardens. By CHARLES H. J. SMITH, Landscape Gardener and Garden Architect, &c. With Notes and Additions by LEWIS F. ALLEN, author of "Rural Architecture."

THE COTTON PLANTER'S MANUAL, - - - - 1 00

BEING A COMPILATION OF FACTS FROM THE BEST AUTHORITIES ON the Culture of Cotton, its Natural History, Chemical Analysis, Trade and Consumption, and embracing a History of Cotton and the Cotton Gira. By J. A. TURNER.

COBBETT'S AMERICAN GARDENER, - - - - 50

A TREATISE ON THE SITUATION, SOIL, AND LAYING-OUT OF GARDENS, and the making and managing of Hot-Beds and Green-Houses, and on the Propagation and Cultivation of the several sorts of Vegetables, Herbs, Fruits and Flowers.

ALLEN (J. FISK) ON THE CULTURE OF THE GRAPE, - 1 00

A PRACTICAL TREATISE ON THE CULTURE AND TREATMENT OF THE Grape Vine, embracing its History, with Directions for its Treatment in the United States of America, in the Open Air and under Glass Structures, with and without Artificial Heat. By J. FISK ALLEN.

ALLEN'S (R. L.) DISEASES OF DOMESTIC ANIMALS, - 75

BEING A HISTORY AND DESCRIPTION OF THE HORSE, MULE, CATTLE, Sheep, Swine, Poultry, and Farm Dogs, with Directions for their Management, Breeding, Crossing, Rearing, Feeding, and Preparation for a Profitable Market; also, their Diseases and Remedies, together with full Directions for the Management of the Dairy, and the comparative Economy and Advantages of Working Animals, the Horse, Mule, Oxen, &c. By R. L. ALLEN.

ALLEN'S (R. L.) AMERICAN FARM BOOK, - - - - 1 00

THE AMERICAN FARM BOOK; or, a Compend of American Agriculture, being a Practical Treatise on Soils, Manures, Draining, Irrigation, Grasses, Grain, Roots, Fruits, Cotton, Tobacco, Sugar Cane, Rice, and every Staple Product of the United States; with the Best Methods of Planting, Cultivating and Preparation for Market. Illustrated with more than 100 engravings. By R. L. ALLEN.

ALLEN'S (L. F.) RURAL ARCHITECTURE; - - - - 1 25

BEING A COMPLETE DESCRIPTION OF FARM HOUSES, COTTAGES, AND Out Buildings, comprising Wood Houses, Workshops, Tool Houses, Carriage and Wagon Houses, Stables, Smoke and Ash Houses, Ice Houses, Apiaries or Bee Houses, Poultry Houses, Rabbitry, Dovecote, Piggery, Barns, and Sheds for Cattle, &c., &c., together with Lawns, Pleasure Grounds, and Parks; the Flower, Fruit, and Vegetable Garden; also useful and ornamental domestic Animals for the Country Resident, &c., &c. Also, the best method of conducting water into Cattle Yards and Houses. Beautifully illustrated.

WARING'S ELEMENTS OF AGRICULTURE; - - - - 75

A BOOK FOR YOUNG FARMERS, WITH QUESTIONS FOR THE USE OF Schools.

PARDEE (R. G.) ON STRAWBERRY CULTURE; - - \$0 60

A COMPLETE MANUAL FOR THE CULTIVATION OF THE STRAWBERRY, with a description of the best varieties.

Also, notices of the Raspberry, Blackberry, Currant, Gooseberry, and Grape; with directions for their cultivation, and the selection of the best varieties. "Every process here recommended has been proved, the plans of others tried, and the result is here given." With a valuable appendix, containing the observations and experience of some of the most successful cultivators of these fruits in our country.

GUENON ON MILCH COWS; - - - - - 60

A TREATISE ON MILCH COWS, whereby the Quality and Quantity of Milk which any Cow will give may be accurately determined by observing Natural Marks or External Indications alone; the length of time she will continue to give Milk, &c., &c. By M. FRANCIS GUENON, of Libourne, France. Translated by NICHOLAS P. TEIST, Esq.; with Introduction, Remarks, and Observations on the Cow and the Dairy, by JOHN S. SKINNER. Illustrated with numerous engravings. Neatly done up in paper covers, 87 cts.

AMERICAN POULTRY YARD; - - - - - 1 00

COMPRISING THE ORIGIN, HISTORY AND DESCRIPTION of the different Breeds of Domestic Poultry, with complete directions for their Breeding, Crossing, Rearing, Fattening, and Preparation for Market; including specific directions for Caponizing Fowls, and for the Treatment of the Principal Diseases to which they are subject, drawn from authentic sources and personal observation. Illustrated with numerous engravings. By D. J. BROWNE.

BROWNE'S (D. JAY) FIELD BOOK OF MANURES; - - - 1 25

OR, AMERICAN MUCK BOOK; Treating of the Nature, Properties, Sources, History, and Operations of all the Principal Fertilizers and Manures in Common Use, with specific directions for their Preservation, and Application to the Soil and to Crops; drawn from authentic sources, actual experience, and personal observation, as combined with the Leading Principles of Practical and Scientific Agriculture. By D. JAY BROWNE.

RANDALL'S (H. S.) SHEEP HUSBANDRY; - - - 1 25

WITH AN ACCOUNT OF THE DIFFERENT BREEDS, and general directions in regard to Summer and Winter Management, Breeding, and the Treatment of Diseases, with Portraits and other Engravings. By HENRY S. RANDALL.

THE SHEPHERD'S OWN BOOK; - - - - - 2 00

WITH AN ACCOUNT OF THE DIFFERENT BREEDS, DISEASES AND MANAGEMENT of Sheep, and General Directions in regard to Summer and Winter Management, Breeding, and the Treatment of Diseases; with Illustrative Engravings, by YOUATT & RANDALL; embracing Skinner's Notes on the Breed and Management of Sheep in the United States, and on the Culture of Fine Wool.

YOUATT ON SHEEP, - - - - - 75

THEIR BREED, MANAGEMENT AND DISEASES, with Illustrative Engravings; to which are added Remarks on the Breeds and Management of Sheep in the United States, and on the Culture of Fine Wool in Silesia. By WILLIAM YOUATT.

YOUATT AND MARTIN ON CATTLE; - - - - - 1 25

BEING A TREATISE ON THEIR BREEDS, MANAGEMENT, AND DISEASES, comprising a full History of the Various Races; their Origin, Breeding, and Merits; their capacity for Beef and Milk. By W. YOUATT and W. C. L. MARTIN. The whole forming a Complete Guide for the Farmer, the Amateur, and the Veterinary Surgeon, with 100 Illustrations. Edited by AMBROSE STEVENS.

YOUATT ON THE HORSE; - - - - - 1 25

YOUATT ON THE STRUCTURE AND DISEASES OF THE HORSE, with their Remedies. Also, Practical Rules for Buyers, Breeders, Smiths, &c. Edited by W. C. SPOONER, M.R.C.V.S. With an account of the Breeds in the United States, by HENRY S. RANDALL.

- YOUATT AND MARTIN ON THE HOG;** - - - - - \$0 75
 A TREATISE ON THE BREEDS, MANAGEMENT, AND MEDICAL TREATMENT of Swine, with Directions for Salting Pork, and Curing Bacon and Hams. By WM. YOUATT, V.S., and W. C. L. MARTIN. Edited by AMEROSE STEVENS. Illustrated with Engravings drawn from life.
- BLAKE'S (REV. JOHN L.) FARMER AT HOME;** - - - - - 1 25
 A FAMILY TEXT BOOK FOR THE COUNTRY; being a Cyclopaedia of Agricultural Implements and Productions, and of the more important topics in Domestic Economy, Science, and Literature, adapted to Rural Life. By REV. JOHN L. BLAKE, D.D.
- MUNN'S (B.) PRACTICAL LAND DRAINER;** - - - - - 50
 BEING A TREATISE ON DRAINING LAND, in which the most approved systems of Drainage are explained, and their differences and comparative merits discussed; with full Directions for the Cutting and Making of Drains, with Remarks upon the various materials of which they may be constructed. With many illustrations. By B. MUNN, Landscape Gardener.
- ELLIOTT'S AMERICAN FRUIT GROWER'S GUIDE IN ORCHARD AND GARDEN;** - - - - - 1 25
 BEING A COMPEND OF THE HISTORY, MODES OF PROPAGATION, CULTURE, &c., of Fruit Trees and Shrubs, with descriptions of nearly all the varieties of fruits cultivated in this country; and Notes of their adaptation to localities, soils, and a complete list of fruits worthy of cultivation. By F. R. ELLIOTT, Pomologist.
- PRACTICAL FRUIT, FLOWER, AND KITCHEN GARDENER'S COMPANION;** - - - - - 1 00
 WITH A CALENDAR. By PATRICK NEILL, LL.D., F.R.S.E., Secretary of the Royal Caledonian Horticultural Society. Adapted to the United States from the fourth edition, revised and improved by the author. Edited by G. EMERSON, M.D., Editor of "The American Farmer's Encyclopedia." With Notes and Additions by E. G. PARDEE, author of "Manual of the Strawberry Culture." With illustrations.
- STEPHENS' (HENRY) BOOK OF THE FARM;** - - - - - 4 00
 A COMPLETE GUIDE TO THE FARMER, STEWARD, PLOWMAN, CATTLEMAN, SHEPHERD, FIELD WORKER, and DAIRY MAID. By HENRY STEPHENS. With Four Hundred and Fifty Illustrations; to which are added Explanatory Notes, Remarks, &c., by J. S. SKINNER. Really one of the best books a farmer can possess.
- PEDDERS' (JAMES) FARMERS' LAND MEASURER;** - - - - - 50
 OR, POCKET COMPANION; Showing at one view the Contents of any Piece of Land from Dimensions taken in Yards. With a set of Useful Agricultural Tables.
- WHITE'S (W. N.) GARDENING FOR THE SOUTH;** - - - - - 1 25
 OR, THE KITCHEN AND FRUIT GARDEN, with the best methods for their Cultivation; together with hints upon Landscape and Flower Gardening; containing modes of culture and descriptions of the species and varieties of the Culinary Vegetables, Fruit Trees, and Fruits, and a select list of Ornamental Trees and Plants found by trial adapted to the States of the Union south of Pennsylvania, with Gardening Calendars for the same. By WM. N. WHITE, of Athens, Georgia.
- EASTWOOD (B.) ON THE CULTIVATION OF THE CRANBERRY;** 50
 WITH A DESCRIPTION OF THE BEST VARIETIES. By B. EASTWOOD, "Septimus" of the New York Tribune.
- AMERICAN BEE-KEEPER'S MANUAL;** - - - - - 1 00
 BEING A PRACTICAL TREATISE ON THE HISTORY AND DOMESTIC ECONOMY of the Honey Bee, embracing a full illustration of the whole subject, with the most approved methods of managing this Insect, through every branch of its Culture; the result of many years' experience. Illustrated with many engravings. By T. B. MINER.

THAER'S (ALBERT D.) AGRICULTURE - - - \$2 00

THE PRINCIPLES OF AGRICULTURE, by ALBERT D. THAER; translated by WILLIAM SHAW and CUTHBERT W. JOHNSON, Esq., F.R.S. With a Memoir of the Author. 1 vol. 8vo.

This work is regarded by those who are competent to judge as one of the most beautiful works that has ever appeared on the subject of Agriculture. At the same time that it is eminently practical, it is philosophical, and, even to the general reader, remarkably entertaining.

BOUSSINGAULT'S (J. B.) RURAL ECONOMY, - - 1 25

IN ITS RELATIONS TO CHEMISTRY, PHYSICS, AND METEOROLOGY: or, Chemistry applied to Agriculture. By J. B. BOUSSINGAULT. Translated, with notes, etc., by GEORGE LAW, Agriculturist.

"The work is the fruit of a long life of study and experiment, and its perusal will aid the farmer greatly in obtaining a practical and scientific knowledge of his profession."

MYSTERIES OF BEE-KEEPING EXPLAINED; - - - 1 00

BEING A COMPLETE ANALYSIS OF THE WHOLE SUBJECT, consisting of the Natural History of Bees; Directions for obtaining the greatest amount of Pure Surplus Honey with the least possible expense; Remedies for losses given, and the Science of Luck fully illustrated; the result of more than twenty years' experience in extensive Apiaries. By M. QUINBY.

THE COTTAGE AND FARM BEE-KEEPER; - - - 50

A PRACTICAL WORK, by a Country Curate.

WEEKS (JOHN M.) ON BEES.—A MANUAL; - - - 50

OR, AN EASY METHOD OF MANAGING BEES IN THE MOST PROFITABLE manner to their owner; with infallible rules to prevent their destruction by the Moth. With an appendix, by WOOSTER A. FLANDERS.

THE ROSE; - - - - - 50

BEING A PRACTICAL TREATISE ON THE PROPAGATION, CULTIVATION, and Management of the Rose in all Seasons; with a list of Choice and Approved Varieties, adapted to the Climate of the United States; to which is added full directions for the Treatment of the Dahlia. Illustrated by Engravings.

MOORE'S RURAL HAND BOOKS, - - - - - 1 25

FIRST SERIES, containing Treatises on—

THE HORSE,	THE PESTS OF THE FARM,
THE HOG,	DOMESTIC FOWLS, and
THE HONEY BEE,	THE COW,

SECOND SERIES, containing— - - - - 1 25

EVERY LADY HER OWN FLOWER GARDENER,	ESSAY ON MANURES,
ELEMENTS OF AGRICULTURE,	AMERICAN KITCHEN GARDENER,
3RD FANCIER,	AMERICAN ROSE CULTURIST.

THIRD SERIES, containing— - - - - 1 25

MILES ON THE HORSE'S FOOT,	VINE DRESSER'S MANUAL,
THE RABBIT FANCIER,	BEE-KEEPER'S CHART,
WEEKS ON BEES,	CHEMISTRY MADE EASY.

FOURTH SERIES, containing— - - - - 1 25

PERSOZ ON THE VINE,	HOOPER'S DOG AND GUN,
LIEBIG'S FAMILIAR LETTERS,	SKILLFUL HOUSEWIFE,
BROWNE'S MEMOIRS OF INDIAN CORN.	

RICHARDSON ON DOGS: THEIR ORIGIN AND VARIETIES. . 50

DIRECTIONS AS TO THEIR GENERAL MANAGEMENT. With numerous original anecdotes. Also, Complete Instructions as to Treatment under Disease. By H. D. RICHARDSON. Illustrated with numerous wood engravings.

This is not only a cheap work, but one of the best ever published on the Dog.

LIEBIG'S (JUSTUS) FAMILIAR LECTURES ON CHEMISTRY, \$0 50
AND ITS RELATION TO COMMERCE, PHYSIOLOGY, AND AGRICULTURE.
Edited by JOHN GARDENER, M.D.

BEMENT'S (C. N.) RABBIT FANCIER; - - - - - 50

A TREATISE ON THE BREEDING, REARING, FEEDING, AND GENERAL Management of Rabbits, with remarks upon their diseases and remedies, to which are added full directions for the construction of Hutches, Rabbitries, &c., together with recipes for cooking and dressing for the Table. Beautifully illustrated.

THOMPSON (R. D.) ON THE FOOD OF ANIMALS - - - - - 75

EXPERIMENTAL RESEARCHES ON THE FOOD OF ANIMALS AND THE Fattening of Cattle; with remarks on the Food of Man. Based upon Experiments undertaken by order of the British Government, by ROBERT DUNDAS THOMPSON, M.D., Lecturer on Practical Chemistry, University of Glasgow.

THE WESTERN FRUIT BOOK; - - - - - 1 25

BEING A COMPEND OF THE HISTORY, MODES OF PROPAGATION, CULTURE, &c., of Fruit Trees and Shrubs, &c., &c. By F. R. ELLIOTT.

THE SKILLFUL HOUSEWIFE; - - - - - 50

OR COMPLETE GUIDE TO DOMESTIC COOKERY, TASTE, COMFORT, AND Economy, embracing 659 recipes pertaining to Household Duties, the care of Health, Gardening, Birds, Education of Children, &c., &c. By Mrs L. G. ABELL.

THE AMERICAN FLORIST'S GUIDE; - - - - - 75

COMPRISING THE AMERICAN ROSE CULTURIST AND EVERY LADY HER own Flower Gardener.

EVERY LADY HER OWN FLOWER GARDENER; - - - - - 50

ADDRESSED TO THE INDUSTRIOUS AND ECONOMICAL ONLY; containing simple and practical Directions for Cultivating Plants and Flowers; also, Hints for the Management of Flowers in Rooms, with brief Botanical Descriptions of Plants and Flowers. The whole in plain and simple language. By LOUISA JOHNSON.

FISH CULTURE; - - - - - 1 00

A TREATISE ON THE ARTIFICIAL PROPAGATION OF CERTAIN KINDS OF Fish, with the description and habits of such kinds as are most suitable for pisciculture. Also directions for the most successful methods of Angling, illustrated with numerous engravings. By THEODATUS GARLICK, M.D., Vice President of Cleveland Academy of Natural Science.

FLINT ON GRASSES; - - - - - 1 25

A PRACTICAL TREATISE ON GRASSES AND FORAGE PLANTS, COMPRISING their natural history, comparative nutritive value, methods of cultivating, cutting, and curing, and the management of grass lands. By CHAS. L. FLINT, A.M., Secretary of Mass. State Board of Agriculture.

WARDER ON HEDGES AND EVERGREENS; - - - - - 1 00

A MANUAL ON LIVE FENCES, WITH PARTICULAR DIRECTIONS FOR THEIR planting, culture and trimming, especially with regard to the Maclura hedges, and how to make it. Also an essay on Evergreens, their varieties, propagation, transplanting and culture in the United States. By JOHN A. WARDEE, M.D., President of Cincinnati Horticultural Society.

M O O R E ' S

*Hand Books of Rural and Domestic Economy.**All arranged and adapted to the Use of American Farmers.***PRICE 25 CENTS EACH.****HOGS;**

THEIR ORIGIN, VARIETIES AND MANAGEMENT, with a View to Profit, and Treatment under Disease; also Plain Directions relative to the most approved modes of preserving their Flesh. By H. D. RICHARDSON, author of "The Hive and the Honey Bee," &c., &c. With illustrations—12mo.

THE HIVE AND THE HONEY BEE;

WITH PLAIN DIRECTIONS FOR OBTAINING A CONSIDERABLE ANNUAL Income from this branch of Rural Economy; also an Account of the Diseases of Bees and their Remedies, and Remarks as to their Enemies, and the best mode of protecting the Hives from their attacks. By H. D. RICHARDSON. With illustrations.

DOMESTIC FOWLS;

THEIR NATURAL HISTORY, BREEDING, REARING, AND GENERAL Management. By H. D. RICHARDSON, author of "The Natural History of the Fossil Deer," &c. With illustrations.

THE HORSE;

THEIR ORIGIN AND VARIETIES; WITH PLAIN DIRECTIONS AS TO THE Breeding, Rearing, and General Management, with Instructions as to the Treatment of Disease. Handsomely illustrated—12mo. By H. D. RICHARDSON.

THE ROSE;

THE AMERICAN ROSE CULTURIST; being a Practical Treatise on the Propagation, Cultivation, and Management in all Seasons, &c. With full directions for the Treatment of the Dahlia.

THE PESTS OF THE FARM;

WITH INSTRUCTIONS FOR THEIR EXTIRPATION; being a Manual of Plain Directions for the certain Destruction of every description of Vermin. With numerous illustrations on Wood.

AN ESSAY ON MANURES;

SUBMITTED TO THE TRUSTEES OF THE MASSACHUSETTS SOCIETY FOR Promoting Agriculture, for their Premium. By SAMUEL H. DANA.

THE AMERICAN BIRD FANCIER;

CONSIDERED WITH REFERENCE TO THE BREEDING, REARING, FEEDING, Management, and Peculiarities of Cage and House Birds. Illustrated with Engravings. By D. JAY BROWNE.

CHEMISTRY MADE EASY;

FOR THE USE OF FARMERS. By J. TOPHAM.

ELEMENTS OF AGRICULTURE;

TRANSLATED FROM THE FRENCH, and Adapted to the use of American Farmers. By F. G. SKINNER.

THE HORSE'S FOOT AND HOW TO KEEP IT SOUND ;

WITH CUTS, illustrating the Anatomy of the Foot, and containing valuable hints on shoeing and stable management, both in health and disease. By WILLIAM MILES.

THE SKILLFUL HOUSEWIFE ;

Or, Complete Guide to Domestic Cookery, Taste, Comfort, and Economy, embracing 659 recipes pertaining to Household Duties, the care of Health, Gardening, Birds, Education of Children, &c., &c. By Mrs. L. G. ABELL.

THE AMERICAN KITCHEN GARDENER ;

CONTAINING DIRECTIONS FOR THE CULTIVATION OF VEGETABLES and Garden Fruits. By T. G. FESSENDEN.

CHINESE SUGAR CANE AND SUGAR MAKING ;

ITS HISTORY, CULTURE, AND ADAPTATION TO THE SOIL, CLIMATE, and Economy of the United States, with an account of various processes of Manufacturing Sugar. Drawn from authentic sources by CHARLES F. STANSBURY, A.M., late Commissioner at the Exhibition of all Nations at London.

PERSOZ' CULTURE OF THE VINE ;

A NEW PROCESS FOR THE CULTURE OF THE VINE, by PERSOZ, Professor to the Faculty of Sciences of Strasbourg; directing Professor of the School of Pharmacy of the same city. Translated by J. O'C. BARCLAY, Surgeon U.S. N.

THE BEE KEEPER'S CHART ;

BEING A BRIEF PRACTICAL TREATISE ON THE INSTINCT, HABITS, and Management of the Honey Bee, in all its various branches, the result of many years' practical experience, whereby the author has been enabled to divest the subject of much that has been considered mysterious and difficult to overcome, and render it more sure, profitable, and interesting to every one, than it has heretofore been. By E. W. PHELPS.

EVERY LADY HER OWN FLOWER GARDENER ;

ADDRESSED TO THE INDUSTRIOUS AND ECONOMICAL ONLY ; containing Simple and Practical Directions for Cultivating Plants and Flowers ; also, Hints for the Management of Flowers in Rooms, with brief Botanical Descriptions of Plants and Flowers. The whole in plain and simple language. By LOUISA JOHNSON.

THE COW ; DAIRY HUSBANDRY AND CATTLE BREEDING.

By M. M. MILBURN, and revised by H. D. RICHARDSON and AMBROSE STEVENS. With Illustrations.

WILSON ON THE CULTURE OF FLAX ;

ITS TREATMENT, AGRICULTURAL AND TECHNICAL ; delivered before the New York State Agricultural Society, at the Annual Fair at Saratoga, in September last, by JOHN WILSON, late President of the Royal Agricultural College at Cirencester, England.

WEEKS ON BEES: A MANUAL.

OR, AN EASY METHOD OF MANAGING BEES IN THE MOST PROFITABLE manner to their owner, with infallible rules to prevent their destruction by the Moth ; with an Appendix by WOOSTER A. FLANDERS.

REEMELIN'S (CHAS.) VINE DRESSER'S MANUAL ;

CONTAINING FULL INSTRUCTIONS as to LOCATION and SOIL ; Preparation of Ground ; Selection and Propagation of Vines ; the Treatment of a Young Vineyard ; trimming and training the vines ; manures and the making of wine. Every department illustrated.

HYDE'S CHINESE SUGAR CANE ;

CONTAINING ITS HISTORY, MODE OF CULTURE, MANUFACTURE of the Sugar, &c. ; with Reports of its success in different parts of the United States.

BEMENT'S (C. M.) RABBIT FANCIER;

A TREATISE ON THE BREEDING, REARING, FEEDING, AND GENERAL Management of Rabbits, with remarks upon their diseases and remedies; to which are added full directions for the construction of Hutches, Rabbitries, &c., together with recipes for cooking and dressing for the table.

RICHARDSON ON DOGS: THEIR ORIGIN AND VARIETIES;

DIRECTIONS AS TO THEIR GENERAL MANAGEMENT. With numerous original anecdotes. Also Complete Instructions as to Treatment under Disease. By H. D. RICHARDSON. Illustrated with numerous wood engravings.

This is not only a cheap, but one of the best works ever published on the Dog.

LIEBIG'S (JUSTUS) FAMILIAR LETTERS ON CHEMISTRY;

AND ITS RELATION TO COMMERCE, PHYSIOLOGY, and AGRICULTURE
Edited by JOHN GARDENER, M.D.

THE DOG AND GUN;

A FEW LOOSE CHAPTERS ON SHOOTING, among which will be found some anecdotes and incidents. Also instructions for Dog Breaking, and interesting letters from Sportsmen. BY A BAD SHOT.

THE PRESERVATION OF FOOD;

THE VARIOUS METHODS OF PRESERVING MEATS, FRUITS, VEGETABLES, Milk, Butter, Grain, &c., by drying, smoking, pickling, and other processes. By E. GEORICH SMITH.

Webster Family Library of Veterinary Medicine
Cummins School of Veterinary Medicine at
Tufts University
200 Westboro Road
North Grafton, MA 01536

Date Due

[illegible]

636

